

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
1	SDPA89I1	1351111891574	115	102	71	288
2	SANKALP89P	1351111891040	105	100	65	270
3	SANKALP89P	1351111891055	95	90	65	250
4	SDPA89E1	1351111891346	100	87	57	244
5	SANKALP89P	1351111891069	91	91	61	243
6	SDPA89D1	1351111890758	78	95	64	237
7	SDPA89D3	1351111890975	98	79	58	235
8	SDPA89A1	1351111890081	86	76	69	231
9	SDPA89F1	1351111891398	77	83	66	226
10	SDPA89D1	1351111890941	84	82	58	224
11	SDPA89D1	1351111890870	91	87	46	224
12	SANKALP89P	1351111890947	80	75	68	223
13	SDPA89E1	1351111891146	73	95	55	223
14	SDPA89D2	1351111891011	68	92	60	220
15	SDPA89E1	1351111891190	87	79	53	219
16	SDPA89E3	1351111891266	57	90	72	219
17	SDPA89D1	1351111890662	80	79	58	217
18	SANKALP89P	1351111890913	72	86	58	216
19	SDPA89D4	1351111890803	63	95	57	215
20	SDPA89B1	1351111890339	83	70	59	212
21	SANKALP89P	1351111891020	83	88	38	209
22	SDPA89E1	1351111890901	76	95	38	209
23	SDPA89D2	1351111890815	83	85	40	208
24	SDPA89F1	1351111891380	67	78	61	206
25	SDPA89A1	1351111890089	60	85	61	206
26	SANKALP89P	1351121890272	75	95	36	206
27	SDPA89D1	1351111890944	82	76	48	206
28	SDPA89F1	1351111891428	69	90	46	205
29	SDPA89D1	1351111890732	59	86	60	205
30	SDPA89D1	1351111890927	90	61	53	204
31	SDPA89D1	1351111890898	83	80	39	202
32	SANKALP89P	1351111890805	70	75	57	202
33	SDPA89F1	1351111891400	68	63	70	201
34	SDPA89E1	1351111890991	57	85	58	200
35	SDPA89I1	1351111891558	68	86	46	200
36	SDPA89I1	1351111891590	69	89	40	198
37	SDPA89D1	1351111890986	73	95	29	197
38	SDPA89F1	1351111891412	78	74	44	196
39	SDPA89D2	1351111890899	76	72	48	196
40	SDPA89D1	1351111890801	58	86	51	195
41	SDPA89E2	1351111891321	71	77	47	195

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
42	SDPA89I1	1351111891577	65	70	58	193
43	SDPA89E1	1351111891149	70	68	55	193
44	SDPA89D1	1351111890961	84	67	41	192
45	SDPA89E1	1351111891269	49	84	57	190
46	SDPA89E1	1351111891216	79	70	40	189
47	SDPA89D3	1351111890082	71	70	46	187
48	SDPA89D1	1351111891013	56	75	55	186
49	SDPA89D1	1351111890489	70	73	43	186
50	SDPA89E1	1351111891317	60	80	46	186
51	SDPA89C1	1351111890592	87	59	39	185
52	SANKALP89P	1351111890709	71	72	42	185
53	SDPA89I1	1351111891603	53	74	58	185
54	SDPA89C1	1351111890501	67	68	48	183
55	SDPA89E1	1351111891161	55	62	63	180
56	SDPA89D4	1351111890684	56	73	51	180
57	SDPA89F1	1351111891376	66	69	44	179
58	SDPA89D2	1351111890912	60	82	37	179
59	SDPA89D1	1351111890778	60	74	44	178
60	SDPA89E1	1351111891163	80	73	25	178
61	SDPA89D4	1351111890988	42	73	62	177
62	SDPA89A1	1351111890009	53	68	55	176
63	SDPA89E2	1351111891181	80	53	43	176
64	SDPA89B1	1351111890186	57	82	36	175
65	SDPA89D2	1351111890940	64	58	53	175
66	SDPA89F1	1351111891441	77	65	33	175
67	SDPA89D4	1351111891068	69	58	48	175
68	SDPA89E1	1351111891335	58	81	35	174
69	SDPA89D1	1351111890738	51	80	43	174
70	SDPA89A1	1351111890019	72	60	42	174
71	SDPA89D1	1351111890929	100	51	23	174
72	SDPA89D2	1351111890149	62	57	53	172
73	SDPA89D2	1351111890860	55	57	60	172
74	SDPA89C1	1351111890438	60	70	42	172
75	SDPA89D1	1351111890946	42	80	49	171
76	SDPA89F1	1351111891370	55	59	57	171
77	SDPA89F1	1351111891377	79	67	24	170
78	SDPA89A1	1351111890084	58	63	48	169
79	SDPA89G1	1351111891427	68	37	64	169
80	SDPA89E2	1351111891318	70	47	51	168
81	SDPA89D1	1351111890967	79	41	48	168
82	SDPA89H1	1351111891510	70	51	46	167

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
83	SDPA89H1	1351111891499	67	69	31	167
84	SDPA89D3	1351111890945	34	67	64	165
85	SDPA89G1	1351111891418	56	75	34	165
86	SDPA89E1	1351111891337	64	65	36	165
87	SDPA89D3	1351111890935	45	80	39	164
88	SDPA89D3	1351111890810	56	64	44	164
89	SDPA89D4	1351211890050	46	74	43	163
90	SDPA89D2	1351111890749	54	77	32	163
91	SDPA89F1	1351111891391	65	68	29	162
92	SDPA89D4	1351111890711	53	75	34	162
93	SDPA89B1	1351111890153	71	58	32	161
94	SDPA89E3	1351111891319	51	62	47	160
95	SDPA89D2	1351111890706	58	70	32	160
96	SDPA89F1	1351111891383	81	40	39	160
97	SDPA89D2	1351111890866	38	78	44	160
98	SDPA89H1	1351111891498	70	47	43	160
99	SDPA89E1	1351111891329	47	62	50	159
100	SDPA89A2	1351111890004	67	87	5	159
101	SDPA89A1	1351111890129	51	76	31	158
102	SDPA89F1	1351111891394	66	58	34	158
103	SDPA89D1	1351111890879	53	55	49	157
104	SDPA89A1	1351111890065	55	56	46	157
105	SDPA89D2	1351111890697	55	56	46	157
106	SDPA89H1	1351111891545	71	64	22	157
107	SDPA89E1	1351111891313	32	77	47	156
108	SDPA89C1	1351111890516	59	40	57	156
109	SDPA89E3	1351111891157	33	97	26	156
110	SDPA89H1	1351111891495	40	75	40	155
111	SANKALP89P	1351111891296	41	75	38	154
112	SDPA89C1	1351111890591	60	78	16	154
113	SDPA89H1	1351111891520	71	62	20	153
114	SDPA89E4	1351111891331	56	79	18	153
115	SDPA89D2	1351111890686	54	83	15	152
116	SDPA89D5	1351111891007	48	79	25	152
117	SDPA89E2	1351111891263	54	50	47	151
118	SDPA89D5	1351111890977	35	71	44	150
119	SDPA89D4	1351111890819	57	60	33	150
120	SDPB89B1	1361111890033	63	64	23	150
121	SDPA89B3	1351111890316	45	87	16	148
122	SDPB89A1	1361111890011	52	64	32	148
123	SDPA89E2	1351111891097	51	60	37	148

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
124	SDPA89E4	1351111891350	61	63	24	148
125	SDPA89E2	1351111891303	37	51	58	146
126	SDPA89F1	1351111891029	60	57	29	146
127	SDPA89B2	1351111890225	46	78	22	146
128	SDPA89H1	1351111891485	52	60	33	145
129	SDPA89D3	1351111890729	40	46	59	145
130	SDPA89H1	1351111891550	53	64	27	144
131	SDPA89D3	1351111890791	37	76	30	143
132	SDPA89E3	1351111891336	58	77	8	143
133	SDPA89I1	1351111891583	71	38	33	142
134	SDPA89E4	1351111891118	41	78	22	141
135	SDPA89A1	1351111890112	44	60	36	140
136	SDPA89C2	1351111890416	20	71	49	140
137	SDPA89C2	1351111890541	37	61	42	140
138	SDPA89E4	1351111891257	44	64	31	139
139	SDPA89D2	1351111890656	50	40	49	139
140	SDPA89B2	1351111890294	61	58	19	138
141	SDPA89A1	1351111890074	35	68	34	137
142	SDPA89D2	1351111890792	48	52	37	137
143	SDPA89C3	1351111890410	40	67	30	137
144	SDPA89D6	1351111890903	43	72	22	137
145	SDPA89E3	1351111891140	52	65	20	137
146	SDPA89D3	1351111890833	59	46	31	136
147	SDPA89F1	1351111891444	44	68	24	136
148	SDPA89F1	1351111891442	27	73	35	135
149	SDPA89B1	1351111890262	37	63	35	135
150	SDPA89E1	1351111891139	60	44	31	135
151	SDPA89C2	1351111890539	39	50	44	133
152	SDPA89E6	1351111891347	67	43	22	132
153	SDPA89D4	1351111891023	17	71	44	132
154	SDPA89D3	1351111890856	37	60	34	131
155	SDPA89D4	1351111890992	38	56	37	131
156	SDPA89E2	1351111891138	48	48	33	129
157	SDPA89D2	1351111890764	18	73	38	129
158	SDPA89D3	1351111890887	35	69	25	129
159	SDPA89B1	1351111890350	35	25	68	128
160	SDPA89C3	1351111890528	51	57	20	128
161	SDPA89D2	1351111891078	54	76	-2	128
162	SDPA89H2	1351111891556	52	54	22	128
163	SDPA89D3	1351111890716	58	62	7	127
164	SDPA89C3	1351111890446	41	66	20	127

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
165	SDPA89I1	1351111891210	59	64	4	127
166	SDPA89E2	1351111891101	36	52	38	126
167	SDPA89H1	1351111891506	27	60	39	126
168	SDPA89C1	1351111890382	56	42	28	126
169	SDPA89D3	1351111891031	31	65	30	126
170	SDPA89E3	1351111891254	44	60	22	126
171	SDPA89B1	1351111890378	30	45	51	126
172	SDPA89A1	1351111890046	44	54	27	125
173	SDPA89D2	1351111890821	69	40	15	124
174	SDPA89D3	1351111890877	54	45	24	123
175	SDPB89A1	1361111890012	41	46	36	123
176	SDPA89D8	1351111890808	24	64	34	122
177	SDPA89F1	1351111891457	18	76	28	122
178	SDPA89D9	1351111890984	18	68	35	121
179	SDPA89D5	1351111890820	41	29	51	121
180	SDPA89B1	1351111890183	45	52	24	121
181	SDPA89B3	1351111890160	36	54	30	120
182	SDPA89E4	1351111891106	39	67	14	120
183	SDPA89D3	1351111890670	51	45	24	120
184	SDPA89B1	1351111890133	54	50	16	120
185	SDPA89H2	1351111891549	71	31	17	119
186	SDPA89D5	1351111890873	44	46	28	118
187	SDPA89C2	1351111890549	63	44	10	117
188	SDPA89D6	1351111890665	23	51	42	116
189	SDPA89C1	1351111890452	53	47	16	116
190	SDPA89E3	1351111891195	27	65	24	116
191	SDPA89C2	1351111890442	8	80	28	116
192	SDPA89A3	1351111890012	49	45	21	115
193	SDPA89B4	1351111890236	12	69	34	115
194	SDPA89E4	1351111891021	43	52	20	115
195	SDPA89C2	1351111890505	30	62	21	113
196	SDPA89E1	1351111891215	35	57	21	113
197	SDPA89E4	1351111891259	53	46	14	113
198	SDPA89G1	1351111891259	53	46	14	113
199	SDPA89C4	1351111890443	37	68	8	113
200	SDPA89D6	1351111890813	52	51	10	113
201	SDPA89C2	1351111890473	33	53	26	112
202	SDPA89B3	1351111890255	32	52	28	112
203	SDPA89B1	1351111890176	29	42	41	112
204	SDPA89C4	1351111890497	48	44	20	112
205	SDPA89E3	1351111891153	50	61	1	112

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
206	SDPA89C1	1351111890567	47	44	21	112
207	SDPA89E3	1351111891108	30	49	33	112
208	SDPA89B3	1351111890374	43	50	18	111
209	SDPA89D4	1351111890868	52	36	22	110
210	SDPA89A2	1351111890108	33	58	19	110
211	SDPA89C1	1351111890445	36	53	20	109
212	SDPA89B3	1351111890152	23	57	29	109
213	SDPA89B2	1351111890287	-4	85	27	108
214	SDPA89I1	1351111891563	33	45	30	108
215	SDPA89C1	1351111890632	18	48	42	108
216	SDPA89D8	1351111891083	29	51	28	108
217	SDPA89E2	1351111891352	9	54	45	108
218	SDPA89D4	1351111891019	42	36	30	108
219	SDPA89B2	1351111890243	16	22	70	108
220	SDPA89E3	1351111891250	42	40	24	106
221	SDPA89D2	1351111890957	32	15	59	106
222	SDPA89D2	1351111890816	47	-2	60	105
223	SDPA89A2	1351111890107	27	67	11	105
224	SDPA89B1	1351111890162	33	36	36	105
225	SDPA89E4	1351111891178	47	34	24	105
226	SDPA89B2	1351111890360	28	46	30	104
227	SDPA89D4	1351111890823	13	67	24	104
228	SDPA89C4	1351111890163	33	33	38	104
229	SDPB89B1	1361111890036	12	38	54	104
230	SDPA89A3	1351111890035	18	52	34	104
231	SDPA89D9	1351111890695	14	63	27	104
232	SDPA89E1	1351111891105	44	47	13	104
233	SDPA89D4	1351111890696	41	49	13	103
234	SDPA89B1	1351111890159	19	49	34	102
235	SDPA89F1	1351111891030	33	38	31	102
236	SDPA89E3	1351111891334	52	32	18	102
237	SDPA89E2	1351111891320	27	45	30	102
238	SDPA89B1	1351111890327	20	44	37	101
239	SDPA89E4	1351111891117	38	45	18	101
240	SDPA89D4	1351111890682	42	33	26	101
241	SDPA89C4	1351111890537	48	40	13	101
242	SDPA89F2	1351111891423	44	8	48	100
243	SDPA89D6	1351111890964	36	60	4	100
244	SDPA89C3	1351111890635	19	54	27	100
245	SDPA89D3	1351111890814	18	48	33	99
246	SDPA89C1	1351111890237	20	62	17	99

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
247	SDPA89I1	1351111891591	39	44	16	99
248	SDPA89B4	1351111890194	43	39	17	99
249	SDPA89C5	1351111890625	48	29	22	99
250	SDPA89B2	1351111890254	29	39	31	99
251	SDPA89H2	1351111891555	28	29	42	99
252	SDPA89C4	1351111890616	34	58	6	98
253	SDPA89F2	1351111891413	39	20	39	98
254	SDPA89C1	1351111890638	23	51	23	97
255	SDPA89I1	1351111891560	31	45	21	97
256	SDPA89D1	1351111890767	27	40	29	96
257	SDPA89E1	1351111890707	40	39	17	96
258	SDPA89B2	1351111890164	11	68	17	96
259	SDPA89B6	1351111890349	20	45	31	96
260	SDPA89E4	1351111891281	50	40	6	96
261	SDPA89E3	1351111891342	36	42	17	95
262	SDPA89E2	1351111890937	33	29	32	94
263	SDPA89B3	1351111890399	18	65	11	94
264	SDPA89E4	1351111891110	7	40	47	94
265	SDPA89D8	1351111890933	31	49	14	94
266	SDPA89E5	1351111891237	42	22	30	94
267	SDPA89E3	1351111891132	28	63	3	94
268	SDPA89G1	1351111891393	34	38	21	93
269	SDPA89G1	1351111891099	31	38	24	93
270	SDPA89A3	1351111890068	41	36	16	93
271	SDPA89C4	1351111890606	30	38	24	92
272	SDPA89E3	1351111891299	44	36	12	92
273	SDPA89C4	1351111890582	47	27	18	92
274	SDPB89A1	1361111890004	23	36	32	91
275	SDPB89B1	1361111890035	8	59	24	91
276	SDPA89D6	1351111890922	40	26	25	91
277	SDPA89E4	1351111891289	21	39	31	91
278	SDPA89C1	1351111890208	31	30	30	91
279	SDPA89C2	1351111890585	45	25	21	91
280	SDPA89E4	1351111891168	0	55	36	91
281	SDPA89A1	1351111890038	4	48	38	90
282	SDPA89D6	1351111890677	31	45	14	90
283	SDPA89F2	1351111891450	40	7	42	89
284	SDPA89D5	1351111890776	29	32	28	89
285	SDPA89H1	1351111891527	19	43	27	89
286	SDPA89D6	1351111890306	48	41	0	89
287	SDPA89D6	1351111891063	0	78	11	89

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
288	SDPA89D3	1351111890802	36	23	28	87
289	SDPA89C2	1351111890579	23	27	37	87
290	SDPA89H1	1351111891530	21	58	8	87
291	SDPA89H2	1351111891518	69	4	13	86
292	SDPA89D3	1351111890690	16	40	30	86
293	SDPA89D6	1351111890785	13	44	29	86
294	SDPA89B3	1351111890258	33	22	31	86
295	SDPA89D9	1351111891051	30	56	-1	85
296	SDPA89E3	1351111891160	35	42	7	84
297	SDPA89B3	1351111890358	23	35	26	84
298	SANKALP89P	1351111890839	32	42	10	84
299	SDPA89D10	1351111890755	20	41	23	84
300	SDPA89D9	1351111890757	19	43	21	83
301	SDPA89D6	1351111891089	43	28	11	82
302	SDPA89D6	1351111891096	28	31	23	82
303	SDPA89B5	1351111890395	9	61	11	81
304	SDPA89A3	1351111890042	27	54	0	81
305	SDPA89B3	1351111890347	34	41	6	81
306	SDPA89B5	1351111890212	22	34	25	81
307	SDPA89C3	1351111890647	37	25	18	80
308	SDPA89H1	1351111891487	51	24	5	80
309	SDPA89C1	1351111890428	12	38	29	79
310	SDPA89D10	1351111890779	40	37	2	79
311	SDPA89B2	1351111890338	34	24	21	79
312	SDPB89B1	1361111890032	30	31	18	79
313	SDPA89B4	1351111890361	15	52	12	79
314	SDPA89D4	1351111890915	35	17	26	78
315	SDPA89E3	1351111891207	32	31	14	77
316	SDPA89I1	1351111891594	39	39	-1	77
317	SDPA89B3	1351111890269	35	43	-1	77
318	SDPA89B4	1351111890509	16	29	32	77
319	SDPA89A3	1351111890091	22	44	10	76
320	SDPA89B4	1351111890380	25	41	10	76
321	SDPA89D5	1351111890740	18	45	12	75
322	SDPA89F2	1351111891397	11	55	9	75
323	SDPA89E3	1351111891125	36	25	13	74
324	SDPA89E3	1351111891220	43	25	6	74
325	SDPA89C5	1351111890467	-2	65	10	73
326	SDPA89D5	1351111890818	31	33	9	73
327	SDPA89F2	1351111891420	0	42	30	72
328	SDPA89C4	1351111890470	6	26	40	72



# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
329	SDPA89A1	1351111890026	19	40	12	71
330	SDPA89C3	1351111890588	24	42	5	71
331	SDPA89H1	1351111891488	21	10	40	71
332	SDPA89D7	1351111890796	15	41	14	70
333	SDPA89H1	1351111891544	26	21	23	70
334	SDPA89I1	1351111891592	9	57	4	70
335	SDPA89B4	1351111890402	19	40	11	70
336	SDPA89B4	1351111890279	6	46	18	70
337	SDPA89E6	1351111891204	29	23	17	69
338	SDPA89E5	1351111891343	19	19	31	69
339	SDPA89E4	1351111891174	15	44	9	68
340	SDPA89G1	1351111891416	10	43	15	68
341	SDPB89B1	1361111890021	22	48	-2	68
342	SDPA89B5	1351111890385	30	17	21	68
343	SDPA89B3	1351111890196	31	31	6	68
344	SDPA89B4	1351111890178	27	35	5	67
345	SDPA89C2	1351111890490	31	27	8	66
346	SDPA89D7	1351111890742	-2	49	18	65
347	SDPA89C6	1351111890430	20	33	12	65
348	SDPA89B3	1351111890369	22	21	21	64
349	SDPA89C4	1351111890290	26	31	7	64
350	SDPA89D5	1351111891062	29	24	11	64
351	SDPA89D6	1351111890828	3	48	12	63
352	SDPA89B4	1351111890232	24	23	16	63
353	SDPA89E5	1351111891173	3	48	12	63
354	SDPB89B1	1361111890014	7	26	28	61
355	SDPA89A3	1351111890128	7	47	7	61
356	SDPA89H1	1351111891504	29	28	4	61
357	SDPA89C5	1351111890503	23	30	7	60
358	SDPA89C5	1351111890565	6	35	19	60
359	SDPA89C1	1351111890596	26	45	-12	59
360	SDPA89B1	1351111890216	20	23	16	59
361	SDPA89B4	1351111890233	11	33	15	59
362	SDPA89D8	1351111890864	15	32	12	59
363	SDPA89F2	1351111891438	15	43	0	58
364	SDPA89C5	1351111890566	7	40	11	58
365	SDPA89C5	1351111890556	8	38	11	57
366	SDPA89B1	1351111890354	11	17	28	56
367	SDPA89F1	1351111891443	24	16	16	56
368	SDPA89D10	1351111891072	12	29	15	56
369	SDPA89C4	1351111890492	20	37	-2	55

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
370	SDPA89A3	1351111890034	14	37	4	55
371	SDPB89B1	1361111890027	25	22	8	55
372	SDPA89H2	1351111891553	7	52	-5	54
373	SDPA89C2	1351111890498	27	17	10	54
374	SDPA89B6	1351111890345	3	37	14	54
375	SDPA89D4	1351111890854	12	27	15	54
376	SDPA89C3	1351111890644	-2	36	19	53
377	SDPA89H1	1351111891524	7	8	37	52
378	SDPA89I2	1351111891588	15	24	13	52
379	SDPA89D4	1351111890969	31	17	4	52
380	SDPA89E4	1351111891150	8	38	6	52
381	SDPA89D5	1351111890773	19	25	6	50
382	SDPA89E6	1351111891102	27	24	-1	50
383	SDPA89E4	1351111891147	22	31	-3	50
384	SDPA89C5	1351111890589	12	22	16	50
385	SDPA89F2	1351111891392	12	33	4	49
386	SDPA89D8	1351111890993	14	14	19	47
387	SDPA89H1	1351111891522	25	37	-15	47
388	SDPA89F2	1351111891364	15	20	11	46
389	SDPA89C6	1351111890627	15	15	15	45
390	SDPA89E2	1351111891326	19	19	6	44
391	SDPA89C3	1351111890573	4	24	16	44
392	SDPA89D6	1351111890843	1	42	1	44
393	SDPA89D3	1351111890781	10	5	29	44
394	SDPA89E3	1351111891217	14	5	25	44
395	SDPA89B6	1351111890331	4	32	6	42
396	SDPA89C2	1351111890412	2	27	12	41
397	SDPA89E5	1351111891182	22	18	1	41
398	SDPA89B6	1351111890348	-2	14	29	41
399	SDPA89D1	1351111891554	-1	43	-2	40
400	SDPA89B4	1351111890235	17	17	6	40
401	SDPA89D7	1351111890989	4	13	23	40
402	SDPA89D5	1351111890784	11	26	3	40
403	SDPA89D9	1351111890807	10	29	1	40
404	SDPA89B2	1351111890384	9	18	13	40
405	SDPA89D7	1351111890759	8	21	11	40
406	SDPA89C4	1351111890645	12	16	11	39
407	SDPA89C5	1351111890581	22	16	0	38
408	SDPA89D10	1351111890745	-6	43	0	37
409	SDPA89D5	1351111890674	13	19	5	37
410	SDPA89B4	1351111890283	17	14	6	37

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
411	SDPA89D4	1351111890790	10	20	7	37
412	SDPA89D9	1351111890897	8	25	3	36
413	SDPA89E4	1351111891358	6	23	5	34
414	SDPA89G2	1351111891464	18	15	0	33
415	SDPA89E6	1351111891324	9	0	24	33
416	SDPA89C6	1351111890532	24	19	-12	31
417	SDPA89A2	1351111890037	0	19	12	31
418	SDPA89H2	1351111891547	21	16	-6	31
419	SDPA89H2	1351111891492	10	25	-5	30
420	SDPA89D8	1351111891071	2	19	9	30
421	SDPA89E4	1351111891144	1	25	3	29
422	SDPA89A2	1351111890054	12	9	8	29
423	SDPA89B4	1351111890274	-1	18	11	28
424	SDPA89C5	1351111890419	0	31	-4	27
425	SDPA89E6	1351111891198	0	6	21	27
426	SDPA89B6	1351111890332	0	25	-2	23
427	SDPA89C4	1351111890414	16	8	-2	22
428	SDPA89D2	1351111890963	2	3	16	21
429	SDPA89G2	1351111891469	17	9	-5	21
430	SDPA89B4	1351111890146	0	3	17	20
431	SDPA89H2	1351111891474	0	8	9	17
432	SDPA89C4	1351111890336	2	9	3	14
433	SDPA89D5	1351111890730	4	2	8	14
434	SDPA89D7	1351111891088	-5	16	2	13
435	SDPA89C5	1351111890363	17	-1	-3	13
436	SDPA89D9	1351111890999	-2	15	-2	11
437	SDPA89D9	1351111890789	11	-6	3	8
438	SDPA89A2	1351111890105	-1	9	-1	7
439	SDPA89B1	1351111890309	-1	4	4	7
440	SDPA89H2	1351111891503	3	-1	3	5
441	SDPA89C3	1351111890465	1	0	0	1
442	SDPA89D1	1351111890980	0	0	0	0
443	SDPA89D2	1351111890909	0	0	0	0
444	SANKALP89P	1351111890876	0	0	0	0
445	SDPA89D1	1351111890705	0	0	0	0
446	SDPA89E2	1351111891124	0	0	0	0
447	SDPA89E1	1351111891261	0	0	0	0
448	SDPA89H1	1351111891477	0	0	0	0
449	SDPA89D1	1351111891475	0	0	0	0
450	SDPA89D1	1351111891075	0	0	0	0
451	SDPA89E1	1351111891260	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
452	SDPA89D5	1351111890768	0	0	0	0
453	SDPA89D1	1351111890703	0	0	0	0
454	SDPB89B1	1361111890040	0	0	0	0
455	SDPA89D2	1351111890878	0	0	0	0
456	SDPA89C1	1351111890590	0	0	0	0
457	SDPA89E1	1351111891315	0	0	0	0
458	SDPA89B1	1351111890389	0	0	0	0
459	SDPA89A2	1351111890088	0	0	0	0
460	SDPA89B1	1351111890365	0	0	0	0
461	SDPA89D1	1351111891024	0	0	0	0
462	SDPA89D2	1351111890911	0	0	0	0
463	SDPA89E1	1351111891268	0	0	0	0
464	SDPA89I1	1351111891602	0	0	0	0
465	SDPA89E2	1351111891241	0	0	0	0
466	SDPA89E1	1351111891238	0	0	0	0
467	SDPA89D4	1351111890689	0	0	0	0
468	SDPA89B1	1351111890172	0	0	0	0
469	SDPA89D4	1351111890666	0	0	0	0
470	SDPA89D2	1351111890994	0	0	0	0
471	SDPA89E2	1351111891191	0	0	0	0
472	SDPB89B1	1361111890018	0	0	0	0
473	SDPA89B1	1351111890386	0	0	0	0
474	SDPA89E2	1351111891218	0	0	0	0
475	SDPA89E5	1351111891301	0	0	0	0
476	SDPA89E3	1351111890978	0	0	0	0
477	SDPA89D4	1351111890842	0	0	0	0
478	SDPA89D3	1351111891056	0	0	0	0
479	SDPA89D4	1351141890006	0	0	0	0
480	SDPA89B2	1351111890223	0	0	0	0
481	SDPA89G1	1351111891448	0	0	0	0
482	SDPA89D3	1351111890962	0	0	0	0
483	SDPA89F1	1351111891401	0	0	0	0
484	SDPA89D1	1351111891298	0	0	0	0
485	SDPA89D3	1351111890659	0	0	0	0
486	SDPA89D4	1351111891034	0	0	0	0
487	SDPA89C1	1351111890534	0	0	0	0
488	SDPA89B3	1351111890318	0	0	0	0
489	SDPA89I1	1351111891566	0	0	0	0
490	SDPA89D3	1351111890830	0	0	0	0
491	SDPA89E3	1351111891135	0	0	0	0
492	SDPA89B3	1351111890289	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
493	SDPA89E5	1351111891142	0	0	0	0
494	SDPA89C1	1351111890200	0	0	0	0
495	SDPA89D2	1351111890811	0	0	0	0
496	SDPA89B3	1351111890188	0	0	0	0
497	SDPA89B3	1351111890215	0	0	0	0
498	SDPA89C1	1351111890453	0	0	0	0
499	SDPA89E2	1351111891206	0	0	0	0
500	SDPA89A1	1351111890033	0	0	0	0
501	SDPA89E5	1351111891345	0	0	0	0
502	SDPA89E5	1351111891353	0	0	0	0
503	SDPA89F2	1351111891415	0	0	0	0
504	SDPA89D2	1351111890973	0	0	0	0
505	SDPA89E4	1351111891333	0	0	0	0
506	SDPA89B1	1351111890217	0	0	0	0
507	SDPA89E2	1351111891327	0	0	0	0
508	SDPA89E2	1351111891293	0	0	0	0
509	SDPA89E1	1351111891248	0	0	0	0
510	SDPA89D6	1351111891061	0	0	0	0
511	SDPA89E2	1351111891126	0	0	0	0
512	SDPA89C4	1351111890471	0	0	0	0
513	SDPA89D5	1351111891060	0	0	0	0
514	SDPA89D1	1351111890888	0	0	0	0
515	SDPA89D4	1351111890687	0	0	0	0
516	SDPA89C3	1351111890545	0	0	0	0
517	SDPA89E1	1351111891491	0	0	0	0
518	SDPA89E1	1351111891236	0	0	0	0
519	SDPA89C1	1351111890568	0	0	0	0
520	SDPA89C4	1351111890507	0	0	0	0
521	SDPA89D6	1351111891005	0	0	0	0
522	SDPA89D6	1351111890892	0	0	0	0
523	SDPA89D2	1351111890681	0	0	0	0
524	SDPA89I1	1351111891578	0	0	0	0
525	SDPA89G1	1351111891467	0	0	0	0
526	SDPA89D8	1351111890720	0	0	0	0
527	SDPA89B2	1351111890368	0	0	0	0
528	SDPA89D5	1351111890713	0	0	0	0
529	SDPA89H2	1351111891484	0	0	0	0
530	SDPA89D7	1351111890748	0	0	0	0
531	SDPA89C5	1351111890572	0	0	0	0
532	SDPA89D8	1351111890824	0	0	0	0
533	SDPA89D4	1351111890693	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
534	SDPA89B2	1351111890165	0	0	0	0
535	SDPA89B3	1351111890247	0	0	0	0
536	SDPA89D8	1351111890827	0	0	0	0
537	SDPA89A2	1351111890018	0	0	0	0
538	SDPA89C3	1351111890626	0	0	0	0
539	SDPA89D5	1351111890926	0	0	0	0
540	SDPA89E5	1351111891151	0	0	0	0
541	SDPA89D5	1351111891042	0	0	0	0
542	SDPA89C5	1351111890520	0	0	0	0
543	SDPA89B4	1351111890154	0	0	0	0
544	SDPA89C1	1351111890415	0	0	0	0
545	SDPA89C3	1351111890547	0	0	0	0
546	SDPA89A1	1351111890075	0	0	0	0
547	SDPB89B1	1361111890028	0	0	0	0
548	SDPA89H2	1351111891541	0	0	0	0
549	SDPA89D5	1351111890754	0	0	0	0
550	SDPA89D6	1351111890917	0	0	0	0
551	SDPA89E3	1351111891148	0	0	0	0
552	SDPA89C4	1351111890634	0	0	0	0
553	SDPA89D8	1351111890965	0	0	0	0
554	SDPA89D8	1351111890787	0	0	0	0
555	SDPA89I1	1351111891597	0	0	0	0
556	SDPA89D4	1351111890834	0	0	0	0
557	SDPB89B1	1361111890045	0	0	0	0
558	SDPA89B3	1351111890288	0	0	0	0
559	SDPA89B2	1351111890218	0	0	0	0
560	SDPA89C1	1351111890525	0	0	0	0
561	SDPA89D7	1351111890737	0	0	0	0
562	SDPA89B4	1351111890273	0	0	0	0
563	SDPA89D4	1351111890871	0	0	0	0
564	SDPA89E2	1351111891123	0	0	0	0
565	SDPA89E6	1351111891111	0	0	0	0
566	SDPA89D4	1351111890794	0	0	0	0
567	SDPA89B4	1351111890357	0	0	0	0
568	SDPA89G1	1351111891414	0	0	0	0
569	SDPA89C1	1351111890510	0	0	0	0
570	SDPB89A1	1361111890009	0	0	0	0
571	SDPA89I2	1351111891580	0	0	0	0
572	SDPA89F2	1351111891404	0	0	0	0
573	SDPA89D6	1351111890853	0	0	0	0
574	SDPA89B5	1351111890353	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
575	SDPA89F1	1351111891425	0	0	0	0
576	SDPA89A1	1351111890056	0	0	0	0
577	SDPA89B4	1351111890381	0	0	0	0
578	SDPA89D9	1351111890972	0	0	0	0
579	SDPA89E2	1351111891166	0	0	0	0
580	SDPA89C4	1351111890427	0	0	0	0
581	SDPA89A3	1351111890040	0	0	0	0
582	SDPA89B2	1351111890147	0	0	0	0
583	SDPA89G1	1351111891453	0	0	0	0
584	SDPA89E3	1351111891219	0	0	0	0
585	SDPA89I2	1351111891567	0	0	0	0
586	SDPA89D5	1351111890861	0	0	0	0
587	SDPA89D8	1351111890723	0	0	0	0
588	SDPA89E3	1351111891128	0	0	0	0
589	SDPA89C5	1351111890454	0	0	0	0
590	SDPA89A1	1351111890077	0	0	0	0
591	SDPA89B6	1351111890226	0	0	0	0
592	SDPA89D5	1351111890826	0	0	0	0
593	SDPA89D5	1351111890173	0	0	0	0
594	SDPA89E5	1351111891121	0	0	0	0
595	SDPA89I2	1351111891565	0	0	0	0
596	SDPA89D3	1351111890673	0	0	0	0
597	SDPA89B4	1351111890359	0	0	0	0
598	SDPA89C2	1351111890523	0	0	0	0
599	SDPA89E6	1351111891351	0	0	0	0
600	SDPA89D9	1351111890725	0	0	0	0
601	SDPA89F1	1351111890424	0	0	0	0
602	SDPA89G1	1351111891454	0	0	0	0
603	SDPA89D6	1351111890657	0	0	0	0
604	SDPA89B3	1351111890170	0	0	0	0
605	SDPA89B2	1351111890174	0	0	0	0
606	SDPA89E6	1351111891357	0	0	0	0
607	SDPA89A3	1351111890050	0	0	0	0
608	SDPA89E6	1351111891192	0	0	0	0
609	SDPA89C4	1351111890546	0	0	0	0
610	SDPA89C4	1351111890550	0	0	0	0
611	SDPA89E6	1351111891308	0	0	0	0
612	SDPA89B4	1351111890192	0	0	0	0
613	SDPA89D9	1351111890934	0	0	0	0
614	SDPA89D10	1351111890928	0	0	0	0
615	SDPA89H2	1351111891531	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
616	SDPA89D7	1351111891091	0	0	0	0
617	SDPA89C4	1351111890559	0	0	0	0
618	SDPA89D8	1351111890831	0	0	0	0
619	SDPA89D8	1351111890809	0	0	0	0
620	SDPA89D8	1351111890845	0	0	0	0
621	SDPA89I2	1351111891562	0	0	0	0
622	SDPA89C5	1351111890527	0	0	0	0
623	SDPA89D7	1351111891028	0	0	0	0
624	SDPA89H2	1351111891523	0	0	0	0
625	SDPA89D8	1351111890775	0	0	0	0
626	SDPA89C6	1351111890560	0	0	0	0
627	SDPA89H2	1351111891516	0	0	0	0
628	SDPA89F2	1351111891470	0	0	0	0
629	SDPA89G2	1351111891470	0	0	0	0
630	SDPA89F2	1351111891285	0	0	0	0
631	SDPA89I2	1351111891582	0	0	0	0
632	SDPA89D10	1351111891004	0	0	0	0
633	SDPA89D8	1351111890970	0	0	0	0
634	SDPA89C3	1351111890440	0	0	0	0
635	SDPB89A1	1361111890008	0	0	0	0
636	SANKALP89P	1351111890914	0	0	0	0
637	SANKALP89P	1351111891008	0	0	0	0
638	SANKALP89P	1351111890731	0	0	0	0
639	SDPA89E1	1351111891278	0	0	0	0
640	SDPA89F1	1351111891278	0	0	0	0
641	SANKALP89P	1351111891015	0	0	0	0
642	SDPA89E2	1351111891330	0	0	0	0
643	SDPA89D1	1351111890838	0	0	0	0
644	SANKALP89P	1351111891297	0	0	0	0
645	SDPA89F1	1351111891437	0	0	0	0
646	SDPA89B1	1351111890342	0	0	0	0
647	SDPA89B1	1351111890144	0	0	0	0
648	SDPA89H1	1351111891501	0	0	0	0
649	SDPA89D3	1351111890734	0	0	0	0
650	SDPA89E4	1351111891304	0	0	0	0
651	SDPA89F1	1351111891410	0	0	0	0
652	SDPA89E1	1351111891098	0	0	0	0
653	SDPA89C2	1351111890615	0	0	0	0
654	SDPA89B1	1351111890210	0	0	0	0
655	SDPA89D5	1351111891095	0	0	0	0
656	SDPA89B1	1351111890301	0	0	0	0



# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
657	SDPA89A1	1351111890127	0	0	0	0
658	SDPA89A2	1351111890092	0	0	0	0
659	SDPA89E2	1351111891208	0	0	0	0
660	SDPA89D4	1351111890736	0	0	0	0
661	SDPA89D1	1351111890518	0	0	0	0
662	SDPA89D4	1351111890841	0	0	0	0
663	SDPA89C3	1351111890593	0	0	0	0
664	SDPA89D6	1351111890710	0	0	0	0
665	SDPA89B2	1351111890265	0	0	0	0
666	SDPA89B1	1351111890270	0	0	0	0
667	SDPA89D8	1351111890883	0	0	0	0
668	SDPA89A1	1351111890319	0	0	0	0
669	SDPA89D6	1351111890983	0	0	0	0
670	SDPA89D6	1351111890923	0	0	0	0
671	SDPA89E4	1351111891141	0	0	0	0
672	SDPA89D5	1351111890762	0	0	0	0
673	SDPA89E2	1351111891136	0	0	0	0
674	SDPA89F2	1351111891381	0	0	0	0
675	SDPA89D7	1351111890797	0	0	0	0
676	SDPA89D3	1351111890214	0	0	0	0
677	SDPA89D3	1351111890855	0	0	0	0
678	SDPA89D7	1351111890683	0	0	0	0
679	SDPA89I1	1351111891585	0	0	0	0
680	SDPA89B2	1351111890272	0	0	0	0
681	SDPA89D7	1351111890652	0	0	0	0
682	SDPA89H2	1351111891539	0	0	0	0
683	SDPA89A1	1351111890087	0	0	0	0
684	SDPA89C2	1351111890594	0	0	0	0
685	SDPA89G2	1351111891390	0	0	0	0
686	SDPA89H1	1351111891482	0	0	0	0
687	SDPA89I1	1351111891598	0	0	0	0
688	SDPA89B4	1351111890367	0	0	0	0
689	SDPA89E3	1351111891112	0	0	0	0
690	SDPA89D10	1351111890699	0	0	0	0
691	SDPA89D6	1351111890728	0	0	0	0
692	SDPA89F1	1351111891430	0	0	0	0
693	SDPA89B2	1351111890310	0	0	0	0
694	SDPA89C4	1351111890611	0	0	0	0
695	SDPA89D7	1351111890919	0	0	0	0
696	SDPA89E4	1351111891199	0	0	0	0
697	SDPA89B1	1351111890351	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
698	SDPA89D5	1351111891090	0	0	0	0
699	SDPA89E6	1351111891247	0	0	0	0
700	SDPA89A1	1351111890002	0	0	0	0
701	SDPA89D6	1351111890774	0	0	0	0
702	SDPA89B4	1351111890280	0	0	0	0
703	SDPA89A3	1351111890024	0	0	0	0
704	SDPA89B4	1351111890251	0	0	0	0
705	SDPA89D8	1351111891033	0	0	0	0
706	SDPA89C4	1351111890512	0	0	0	0
707	SDPA89B2	1351111890390	0	0	0	0
708	SDPA89G2	1351111891434	0	0	0	0
709	SDPA89B1	1351111890187	0	0	0	0
710	SDPA89D5	1351111890187	0	0	0	0
711	SDPA89B4	1351111890220	0	0	0	0
712	SDPA89B5	1351111890393	0	0	0	0
713	SDPA89C6	1351111890499	0	0	0	0
714	SDPA89E5	1351111891158	0	0	0	0
715	SDPA89A1	1351111890047	0	0	0	0
716	SDPA89C6	1351111890464	0	0	0	0
717	SDPA89G1	1351111891468	0	0	0	0
718	SDPA89I2	1351111891600	0	0	0	0
719	SDPA89I2	1351111891557	0	0	0	0
720	SDPB89A1	1361111890003	0	0	0	0
721	SDPA89E5	1351111891156	0	0	0	0
722	SDPA89D7	1351111890974	0	0	0	0
723	SDPA89E5	1351111891251	0	0	0	0
724	SDPA89E5	1351111891196	0	0	0	0
725	SDPA89E6	1351111891300	0	0	0	0
726	SDPA89A3	1351111890027	0	0	0	0
727	SDPA89D8	1351111890910	0	0	0	0
728	SDPA89B3	1351111890249	0	0	0	0
729	SDPA89H1	1351111891502	0	0	0	0
730	SDPB89B1	1361111890034	0	0	0	0
731	SDPA89H1	1351111891513	0	0	0	0
732	SDPA89A2	1351111890095	0	0	0	0
733	SDPA89E6	1351111891212	0	0	0	0
734	SDPA89D7	1351111890906	0	0	0	0
735	SDPA89H2	1351111891542	0	0	0	0
736	SDPA89B4	1351111890204	0	0	0	0
737	SDPA89F2	1351111891440	0	0	0	0
738	SDPA89H2	1351111891478	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
739	SDPA89I2	1351111891564	0	0	0	0
740	SDPA89B4	1351111890241	0	0	0	0
741	SDPA89D6	1351111890746	0	0	0	0
742	SDPA89D7	1351111890750	0	0	0	0
743	SDPA89D9	1351111890851	0	0	0	0
744	SDPA89C5	1351111890508	0	0	0	0
745	SANKALP89P	1351111890998	0	0	0	0
746	SANKALP89P	1351111891262	0	0	0	0
747	SANKALP89P	1351111891228	0	0	0	0
748	SANKALP89P	1351111891049	0	0	0	0
749	SANKALP89P	1351111890925	0	0	0	0
750	SANKALP89P	1351111890840	0	0	0	0
751	SANKALP89P	1351111891067	0	0	0	0
752	SDPA89A1	1351111890052	0	0	0	0
753	SDPA89A1	1351111890029	0	0	0	0
754	SDPA89A1	1351111890041	0	0	0	0
755	SDPA89A1	1351111890006	0	0	0	0
756	SDPA89A1	1351111890102	0	0	0	0
757	SDPA89A1	1351111890062	0	0	0	0
758	SDPA89A1	1351111890180	0	0	0	0
759	SDPA89A1	1351111890090	0	0	0	0
760	SDPA89A1	1351111890119	0	0	0	0
761	SDPA89A1	1351111890085	0	0	0	0
762	SDPA89A1	1351111890043	0	0	0	0
763	SDPA89A1	1351111890070	0	0	0	0
764	SDPA89A1	1351111890123	0	0	0	0
765	SDPA89A1	1351111890036	0	0	0	0
766	SDPA89A1	1351111890104	0	0	0	0
767	SDPA89A1	1351111890135	0	0	0	0
768	SDPA89A1	1351111890110	0	0	0	0
769	SDPA89A1	1351111890073	0	0	0	0
770	SDPA89A1	1351111890028	0	0	0	0
771	SDPA89A1	1351111890118	0	0	0	0
772	SDPA89A1	1351111890057	0	0	0	0
773	SDPA89A1	1351111890066	0	0	0	0
774	SDPA89A1	1351111890101	0	0	0	0
775	SDPA89A1	1351111890122	0	0	0	0
776	SDPA89A1	1351111890051	0	0	0	0
777	SDPA89A2	1351111890060	0	0	0	0
778	SDPA89A2	1351111890017	0	0	0	0
779	SDPA89A2	1351111890136	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
780	SDPA89A2	1351111890113	0	0	0	0
781	SDPA89A2	1351111890032	0	0	0	0
782	SDPA89A2	1351111890094	0	0	0	0
783	SDPA89A2	1351111890115	0	0	0	0
784	SDPA89A2	1351111890013	0	0	0	0
785	SDPA89A2	1351111890099	0	0	0	0
786	SDPA89A2	1351111890067	0	0	0	0
787	SDPA89A2	1351111890080	0	0	0	0
788	SDPA89A2	1351111890103	0	0	0	0
789	SDPA89A2	1351111890125	0	0	0	0
790	SDPA89A2	1351111890020	0	0	0	0
791	SDPA89A2	1351111890111	0	0	0	0
792	SDPA89A2	1351111890124	0	0	0	0
793	SDPA89A2	1351111890053	0	0	0	0
794	SDPA89A2	1351111890001	0	0	0	0
795	SDPA89A2	1351111890116	0	0	0	0
796	SDPA89A2	1351111890059	0	0	0	0
797	SDPA89A2	1351111890134	0	0	0	0
798	SDPA89A2	1351111890007	0	0	0	0
799	SDPA89A2	1351111890008	0	0	0	0
800	SDPA89A2	1351111890031	0	0	0	0
801	SDPA89A2	1351111890078	0	0	0	0
802	SDPA89A2	1351111890061	0	0	0	0
803	SDPA89A2	1351111890055	0	0	0	0
804	SDPA89A2	1351111890076	0	0	0	0
805	SDPA89A2	1351111890044	0	0	0	0
806	SDPA89A2	1351111890100	0	0	0	0
807	SDPA89A2	1351111890120	0	0	0	0
808	SDPA89A2	1351111890126	0	0	0	0
809	SDPA89A2	1351111890014	0	0	0	0
810	SDPA89A3	1351111890011	0	0	0	0
811	SDPA89A3	1351111890069	0	0	0	0
812	SDPA89A3	1351111890015	0	0	0	0
813	SDPA89A3	1351111890023	0	0	0	0
814	SDPA89A3	1351111890106	0	0	0	0
815	SDPA89A3	1351111890121	0	0	0	0
816	SDPA89A3	1351111890098	0	0	0	0
817	SDPA89A3	1351111890117	0	0	0	0
818	SDPA89A3	1351111890022	0	0	0	0
819	SDPA89A3	1351111890039	0	0	0	0
820	SDPA89A3	1351111890086	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
821	SDPA89A3	1351111890058	0	0	0	0
822	SDPA89A3	1351111890083	0	0	0	0
823	SDPA89A3	1351111890093	0	0	0	0
824	SDPA89A3	1351111890064	0	0	0	0
825	SDPA89A3	1351111890010	0	0	0	0
826	SDPA89A3	1351111890096	0	0	0	0
827	SDPA89A3	1351111890048	0	0	0	0
828	SDPA89A3	1351111890025	0	0	0	0
829	SDPA89A3	1351111890063	0	0	0	0
830	SDPA89A3	1351111890097	0	0	0	0
831	SDPA89A3	1351111890072	0	0	0	0
832	SDPA89A3	1351111890045	0	0	0	0
833	SDPA89A3	1351111890030	0	0	0	0
834	SDPA89A3	1351111890021	0	0	0	0
835	SDPA89A3	1351111890114	0	0	0	0
836	SDPA89A3	1351111890109	0	0	0	0
837	SDPA89A3	1351111890049	0	0	0	0
838	SDPA89A3	1351111890130	0	0	0	0
839	SDPA89A3	1351111890003	0	0	0	0
840	SDPA89A3	1351111890071	0	0	0	0
841	SDPA89B1	1351111890256	0	0	0	0
842	SDPA89B1	1351111890156	0	0	0	0
843	SDPA89B1	1351111890335	0	0	0	0
844	SDPA89B1	1351111890206	0	0	0	0
845	SDPA89B1	1351111890227	0	0	0	0
846	SDPA89B1	1351111890209	0	0	0	0
847	SDPA89B1	1351111890242	0	0	0	0
848	SDPA89B1	1351111890250	0	0	0	0
849	SDPA89B1	1351111890315	0	0	0	0
850	SDPA89B1	1351111890398	0	0	0	0
851	SDPA89B1	1351111890168	0	0	0	0
852	SDPA89B1	1351111890372	0	0	0	0
853	SDPA89B1	1351111890211	0	0	0	0
854	SDPA89B1	1351111890300	0	0	0	0
855	SDPA89B1	1351111890311	0	0	0	0
856	SDPA89B1	1351111890352	0	0	0	0
857	SDPA89B1	1351111890333	0	0	0	0
858	SDPA89B1	1351111890191	0	0	0	0
859	SDPA89B1	1351111890244	0	0	0	0
860	SDPA89B1	1351111890377	0	0	0	0
861	SDPA89B1	1351111890320	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
862	SDPA89B1	1351111890355	0	0	0	0
863	SDPA89B1	1351111890175	0	0	0	0
864	SDPA89B2	1351111890313	0	0	0	0
865	SDPA89B2	1351111890167	0	0	0	0
866	SDPA89B2	1351111890362	0	0	0	0
867	SDPA89B2	1351111890296	0	0	0	0
868	SDPA89B2	1351111890317	0	0	0	0
869	SDPA89B2	1351111890326	0	0	0	0
870	SDPA89B2	1351111890275	0	0	0	0
871	SDPA89B2	1351111890263	0	0	0	0
872	SDPA89B2	1351111890325	0	0	0	0
873	SDPA89B2	1351111890141	0	0	0	0
874	SDPA89B2	1351111890189	0	0	0	0
875	SDPA89B2	1351111890271	0	0	0	0
876	SDPA89B2	1351111890371	0	0	0	0
877	SDPA89B2	1351111890370	0	0	0	0
878	SDPA89B2	1351111890169	0	0	0	0
879	SDPA89B2	1351111890016	0	0	0	0
880	SDPA89B2	1351111890158	0	0	0	0
881	SDPA89B2	1351111890397	0	0	0	0
882	SDPA89B2	1351111890234	0	0	0	0
883	SDPA89B2	1351111890968	0	0	0	0
884	SDPA89B2	1351111890324	0	0	0	0
885	SDPA89B2	1351111890219	0	0	0	0
886	SDPA89B2	1351111890314	0	0	0	0
887	SDPA89B2	1351111890278	0	0	0	0
888	SDPA89B2	1351111890150	0	0	0	0
889	SDPA89B2	1351111890198	0	0	0	0
890	SDPA89B2	1351111890364	0	0	0	0
891	SDPA89B2	1351111890392	0	0	0	0
892	SDPA89B2	1351111890376	0	0	0	0
893	SDPA89B2	1351111890148	0	0	0	0
894	SDPA89B2	1351111890322	0	0	0	0
895	SDPA89B2	1351111890171	0	0	0	0
896	SDPA89B3	1351111890321	0	0	0	0
897	SDPA89B3	1351111890261	0	0	0	0
898	SDPA89B3	1351111890140	0	0	0	0
899	SDPA89B3	1351131890035	0	0	0	0
900	SDPA89B3	1351111890373	0	0	0	0
901	SDPA89B3	1351111890356	0	0	0	0
902	SDPA89B3	1351111890394	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
903	SDPA89B3	1351111890396	0	0	0	0
904	SDPA89B3	1351111890182	0	0	0	0
905	SDPA89B3	1351111890284	0	0	0	0
906	SDPA89B3	1351111890190	0	0	0	0
907	SDPA89B3	1351111890285	0	0	0	0
908	SDPA89B3	1351111890407	0	0	0	0
909	SDPA89B3	1351111890177	0	0	0	0
910	SDPA89B3	1351111890239	0	0	0	0
911	SDPA89B3	1351111890366	0	0	0	0
912	SDPA89B3	1351111890346	0	0	0	0
913	SDPA89B3	1351111890221	0	0	0	0
914	SDPA89B3	1351111890139	0	0	0	0
915	SDPA89B3	1351111890302	0	0	0	0
916	SDPA89B3	1351111890137	0	0	0	0
917	SDPA89B3	1351111890340	0	0	0	0
918	SDPA89B3	1351111890337	0	0	0	0
919	SDPA89B3	1351111890138	0	0	0	0
920	SDPA89B3	1351111890295	0	0	0	0
921	SDPA89B3	1351111890199	0	0	0	0
922	SDPA89B3	1351111890282	0	0	0	0
923	SDPA89B3	1351111890383	0	0	0	0
924	SDPA89B3	1351111890259	0	0	0	0
925	SDPA89B3	1351111890387	0	0	0	0
926	SDPA89B3	1351111890323	0	0	0	0
927	SDPA89B4	1351111890276	0	0	0	0
928	SDPA89B4	1351111890245	0	0	0	0
929	SDPA89B4	1351111890202	0	0	0	0
930	SDPA89B4	1351111890248	0	0	0	0
931	SDPA89B4	1351111890305	0	0	0	0
932	SDPA89B4	1351111890341	0	0	0	0
933	SDPA89B4	1351111890197	0	0	0	0
934	SDPA89B4	1351111890179	0	0	0	0
935	SDPA89B4	1351111890401	0	0	0	0
936	SDPA89B4	1351111890240	0	0	0	0
937	SDPA89B4	1351111890404	0	0	0	0
938	SDPA89B4	1351111890403	0	0	0	0
939	SDPA89B4	1351111890181	0	0	0	0
940	SDPA89B4	1351111890257	0	0	0	0
941	SDPA89B4	1351111890155	0	0	0	0
942	SDPA89B4	1351111890145	0	0	0	0
943	SDPA89B5	1351111890298	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
944	SDPA89B5	1351111890328	0	0	0	0
945	SDPA89B5	1351111890308	0	0	0	0
946	SDPA89B5	1351111890161	0	0	0	0
947	SDPA89B5	1351111890229	0	0	0	0
948	SDPA89B5	1351111890184	0	0	0	0
949	SDPA89B5	1351111890252	0	0	0	0
950	SDPA89B5	1351111890231	0	0	0	0
951	SDPA89B5	1351111890329	0	0	0	0
952	SDPA89B5	1351111890266	0	0	0	0
953	SDPA89B5	1351111890201	0	0	0	0
954	SDPA89B5	1351111890228	0	0	0	0
955	SDPA89B5	1351111890166	0	0	0	0
956	SDPA89B5	1351111890205	0	0	0	0
957	SDPA89B5	1351111890375	0	0	0	0
958	SDPA89B5	1351111890224	0	0	0	0
959	SDPA89B5	1351111890230	0	0	0	0
960	SDPA89B5	1351111890334	0	0	0	0
961	SDPA89B5	1351111890207	0	0	0	0
962	SDPA89B5	1351111890379	0	0	0	0
963	SDPA89B5	1351111890281	0	0	0	0
964	SDPA89B5	1351111890277	0	0	0	0
965	SDPA89B5	1351111890238	0	0	0	0
966	SDPA89B5	1351111890151	0	0	0	0
967	SDPA89B5	1351111890330	0	0	0	0
968	SDPA89B5	1351111890307	0	0	0	0
969	SDPA89B5	1351111890299	0	0	0	0
970	SDPA89B6	1351111890185	0	0	0	0
971	SDPA89B6	1351111890131	0	0	0	0
972	SDPA89B6	1351111890195	0	0	0	0
973	SDPA89B6	1351111890253	0	0	0	0
974	SDPA89B6	1351111890344	0	0	0	0
975	SDPA89B6	1351111890343	0	0	0	0
976	SDPA89B6	1351111890292	0	0	0	0
977	SDPA89B6	1351111890142	0	0	0	0
978	SDPA89B6	1351111890193	0	0	0	0
979	SDPA89B6	1351111890203	0	0	0	0
980	SDPA89B6	1351111890406	0	0	0	0
981	SDPA89B6	1351111890400	0	0	0	0
982	SDPA89B6	1351111890264	0	0	0	0
983	SDPA89B6	1351111890143	0	0	0	0
984	SDPA89B6	1351111890297	0	0	0	0



# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
985	SDPA89B6	1351111890391	0	0	0	0
986	SDPA89B6	1351111890312	0	0	0	0
987	SDPA89B6	1351111890157	0	0	0	0
988	SDPA89B6	1351111890268	0	0	0	0
989	SDPA89C1	1351111890449	0	0	0	0
990	SDPA89C1	1351111890491	0	0	0	0
991	SDPA89C1	1351111890504	0	0	0	0
992	SDPA89C1	1351111890530	0	0	0	0
993	SDPA89C1	1351111890646	0	0	0	0
994	SDPA89C1	1351111890420	0	0	0	0
995	SDPA89C1	1351111890622	0	0	0	0
996	SDPA89C1	1351111890423	0	0	0	0
997	SDPA89C1	1351111890609	0	0	0	0
998	SDPA89C1	1351111890437	0	0	0	0
999	SDPA89C1	1351111890575	0	0	0	0
1000	SDPA89C1	1351111890495	0	0	0	0
1001	SDPA89C1	1351111890409	0	0	0	0
1002	SDPA89C1	1351111890603	0	0	0	0
1003	SDPA89C1	1351111890444	0	0	0	0
1004	SDPA89C1	1351111890551	0	0	0	0
1005	SDPA89C1	1351111890578	0	0	0	0
1006	SDPA89C1	1351111890602	0	0	0	0
1007	SDPA89C1	1351111890447	0	0	0	0
1008	SDPA89C2	1351111890540	0	0	0	0
1009	SDPA89C2	1351111890576	0	0	0	0
1010	SDPA89C2	1351111890513	0	0	0	0
1011	SDPA89C2	1351111890463	0	0	0	0
1012	SDPA89C2	1351111890461	0	0	0	0
1013	SDPA89C2	1351111890417	0	0	0	0
1014	SDPA89C2	1351111890303	0	0	0	0
1015	SDPA89C2	1351111890610	0	0	0	0
1016	SDPA89C2	1351111890618	0	0	0	0
1017	SDPA89C2	1351111890612	0	0	0	0
1018	SDPA89C2	1351111890455	0	0	0	0
1019	SDPA89C2	1351111890468	0	0	0	0
1020	SDPA89C2	1351111890460	0	0	0	0
1021	SDPA89C2	1351111890641	0	0	0	0
1022	SDPA89C2	1351111890418	0	0	0	0
1023	SDPA89C2	1351111890735	0	0	0	0
1024	SDPA89C2	1351111890456	0	0	0	0
1025	SDPA89C2	1351111890543	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
1026	SDPA89C2	1351111890598	0	0	0	0
1027	SDPA89C2	1351111890483	0	0	0	0
1028	SDPA89C2	1351111890493	0	0	0	0
1029	SDPA89C2	1351111890514	0	0	0	0
1030	SDPA89C2	1351111890462	0	0	0	0
1031	SDPA89C2	1351111890511	0	0	0	0
1032	SDPA89C2	1351111890642	0	0	0	0
1033	SDPA89C3	1351111890451	0	0	0	0
1034	SDPA89C3	1351111890476	0	0	0	0
1035	SDPA89C3	1351111890517	0	0	0	0
1036	SDPA89C3	1351111890484	0	0	0	0
1037	SDPA89C3	1351111890586	0	0	0	0
1038	SDPA89C3	1351111890533	0	0	0	0
1039	SDPA89C3	1351111890524	0	0	0	0
1040	SDPA89C3	1351111890500	0	0	0	0
1041	SDPA89C3	1351111890448	0	0	0	0
1042	SDPA89C3	1351111890599	0	0	0	0
1043	SDPA89C3	1351111890411	0	0	0	0
1044	SDPA89C3	1351111890643	0	0	0	0
1045	SDPA89C3	1351111890531	0	0	0	0
1046	SDPA89C3	1351111890466	0	0	0	0
1047	SDPA89C3	1351111890502	0	0	0	0
1048	SDPA89C3	1351111890458	0	0	0	0
1049	SDPA89C3	1351111890486	0	0	0	0
1050	SDPA89C3	1351111890246	0	0	0	0
1051	SDPA89C3	1351111890640	0	0	0	0
1052	SDPA89C3	1351111890597	0	0	0	0
1053	SDPA89C3	1351111890542	0	0	0	0
1054	SDPA89C3	1351111890479	0	0	0	0
1055	SDPA89C3	1351111890623	0	0	0	0
1056	SDPA89C3	1351111890574	0	0	0	0
1057	SDPA89C3	1351111890630	0	0	0	0
1058	SDPA89C3	1351111890619	0	0	0	0
1059	SDPA89C3	1351111890422	0	0	0	0
1060	SDPA89C3	1351111890291	0	0	0	0
1061	SDPA89C3	1351111890529	0	0	0	0
1062	SDPA89C3	1351111890488	0	0	0	0
1063	SDPA89C3	1351111890621	0	0	0	0
1064	SDPA89C3	1351111890472	0	0	0	0
1065	SDPA89C4	1351111890429	0	0	0	0
1066	SDPA89C4	1351111890535	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
1067	SDPA89C4	1351111890562	0	0	0	0
1068	SDPA89C4	1351111890431	0	0	0	0
1069	SDPA89C4	1351111890433	0	0	0	0
1070	SDPA89C4	1351111890637	0	0	0	0
1071	SDPA89C4	1351111890293	0	0	0	0
1072	SDPA89C4	1351111890413	0	0	0	0
1073	SDPA89C4	1351111890408	0	0	0	0
1074	SDPA89C4	1351111890558	0	0	0	0
1075	SDPA89C4	1351111890629	0	0	0	0
1076	SDPA89C4	1351111890482	0	0	0	0
1077	SDPA89C4	1351111890583	0	0	0	0
1078	SDPA89C4	1351111890485	0	0	0	0
1079	SDPA89C4	1351111890304	0	0	0	0
1080	SDPA89C4	1351111890571	0	0	0	0
1081	SDPA89C4	1351111890631	0	0	0	0
1082	SDPA89C4	1351111890580	0	0	0	0
1083	SDPA89C4	1351111890441	0	0	0	0
1084	SDPA89C4	1351111890600	0	0	0	0
1085	SDPA89C4	1351111890614	0	0	0	0
1086	SDPA89C4	1351111890435	0	0	0	0
1087	SDPA89C4	1351111890536	0	0	0	0
1088	SDPA89C4	1351111890636	0	0	0	0
1089	SDPA89C4	1351111890601	0	0	0	0
1090	SDPA89C5	1351111890563	0	0	0	0
1091	SDPA89C5	1351111890569	0	0	0	0
1092	SDPA89C5	1351111890426	0	0	0	0
1093	SDPA89C5	1351111890436	0	0	0	0
1094	SDPA89C5	1351111890557	0	0	0	0
1095	SDPA89C5	1351111890570	0	0	0	0
1096	SDPA89C5	1351111890624	0	0	0	0
1097	SDPA89C5	1351111890439	0	0	0	0
1098	SDPA89C5	1351111890459	0	0	0	0
1099	SDPA89C5	1351111890648	0	0	0	0
1100	SDPA89C5	1351111890260	0	0	0	0
1101	SDPA89C5	1351111890388	0	0	0	0
1102	SDPA89C5	1351111890425	0	0	0	0
1103	SDPA89C5	1351111890617	0	0	0	0
1104	SDPA89C5	1351111890544	0	0	0	0
1105	SDPA89C5	1351111890564	0	0	0	0
1106	SDPA89C5	1351111890487	0	0	0	0
1107	SDPA89C5	1351111890538	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
1108	SDPA89C5	1351111890481	0	0	0	0
1109	SDPA89C5	1351111890519	0	0	0	0
1110	SDPA89C5	1351111890522	0	0	0	0
1111	SDPA89C5	1351111890584	0	0	0	0
1112	SDPA89C6	1351111890548	0	0	0	0
1113	SDPA89C6	1351111890649	0	0	0	0
1114	SDPA89C6	1351111890628	0	0	0	0
1115	SDPA89C6	1351111890421	0	0	0	0
1116	SDPA89C6	1351111890434	0	0	0	0
1117	SDPA89C6	1351111890506	0	0	0	0
1118	SDPA89C6	1351111890432	0	0	0	0
1119	SDPA89C6	1351111890475	0	0	0	0
1120	SDPA89C6	1351111890613	0	0	0	0
1121	SDPA89C6	1351111890478	0	0	0	0
1122	SDPA89C6	1351111890595	0	0	0	0
1123	SDPA89C6	1351111890604	0	0	0	0
1124	SDPA89C6	1351111890577	0	0	0	0
1125	SDPA89C6	1351111890561	0	0	0	0
1126	SDPA89C6	1351111890554	0	0	0	0
1127	SDPA89C6	1351111890553	0	0	0	0
1128	SDPA89C6	1351921890017	0	0	0	0
1129	SDPA89C6	1351111890480	0	0	0	0
1130	SDPA89C6	1351111890474	0	0	0	0
1131	SDPA89C6	1351111890633	0	0	0	0
1132	SDPA89C6	1351111890605	0	0	0	0
1133	SDPA89C6	1351111890526	0	0	0	0
1134	SDPA89C6	1351111890494	0	0	0	0
1135	SDPA89C6	1351111890552	0	0	0	0
1136	SDPA89C6	1351111890607	0	0	0	0
1137	SDPA89C6	1351111890521	0	0	0	0
1138	SDPA89D1	1351111890996	0	0	0	0
1139	SDPA89D1	1351111890714	0	0	0	0
1140	SDPA89D1	1351111890708	0	0	0	0
1141	SDPA89D1	1351111890885	0	0	0	0
1142	SDPA89D1	1351121890158	0	0	0	0
1143	SDPA89D1	1351111891035	0	0	0	0
1144	SDPA89D1	1351111891080	0	0	0	0
1145	SDPA89D1	1351111890733	0	0	0	0
1146	SDPA89D1	1351111890902	0	0	0	0
1147	SDPA89D1	1351111890717	0	0	0	0
1148	SDPA89D1	1351111890800	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
1149	SDPA89D1	1351111890799	0	0	0	0
1150	SDPA89D1	1351111891001	0	0	0	0
1151	SDPA89D1	1351111891009	0	0	0	0
1152	SDPA89D1	1351111890895	0	0	0	0
1153	SDPA89D10	1351111890951	0	0	0	0
1154	SDPA89D10	1351111891087	0	0	0	0
1155	SDPA89D10	1351111890669	0	0	0	0
1156	SDPA89D10	1351111890679	0	0	0	0
1157	SDPA89D10	1351111891036	0	0	0	0
1158	SDPA89D10	1351111890896	0	0	0	0
1159	SDPA89D10	1351111891027	0	0	0	0
1160	SDPA89D10	1351111890954	0	0	0	0
1161	SDPA89D10	1351111890744	0	0	0	0
1162	SDPA89D10	1351111890741	0	0	0	0
1163	SDPA89D10	1351111890865	0	0	0	0
1164	SDPA89D10	1351111890829	0	0	0	0
1165	SDPA89D10	1351111890752	0	0	0	0
1166	SDPA89D10	1351111890795	0	0	0	0
1167	SDPA89D10	1351111890817	0	0	0	0
1168	SDPA89D10	1351111890680	0	0	0	0
1169	SDPA89D10	1351111891086	0	0	0	0
1170	SDPA89D10	1351111890760	0	0	0	0
1171	SDPA89D10	1351111890932	0	0	0	0
1172	SDPA89D10	1351111890722	0	0	0	0
1173	SDPA89D10	1351111891014	0	0	0	0
1174	SDPA89D2	1351111890667	0	0	0	0
1175	SDPA89D2	1351111890958	0	0	0	0
1176	SDPA89D2	1351111890704	0	0	0	0
1177	SDPA89D2	1351111891003	0	0	0	0
1178	SDPA89D2	1351111890664	0	0	0	0
1179	SDPA89D2	1351111891094	0	0	0	0
1180	SDPA89D2	1351111890780	0	0	0	0
1181	SDPA89D2	1351111890905	0	0	0	0
1182	SDPA89D2	1351111890650	0	0	0	0
1183	SDPA89D2	1351111890671	0	0	0	0
1184	SDPA89D2	1351111890772	0	0	0	0
1185	SDPA89D2	1351111890884	0	0	0	0
1186	SDPA89D2	1351111890886	0	0	0	0
1187	SDPA89D2	1351111891037	0	0	0	0
1188	SDPA89D2	1351111890812	0	0	0	0
1189	SDPA89D2	1351111890825	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
1190	SDPA89D3	1351111890724	0	0	0	0
1191	SDPA89D3	1351111890948	0	0	0	0
1192	SDPA89D3	1351111891018	0	0	0	0
1193	SDPA89D3	1351111890849	0	0	0	0
1194	SDPA89D3	1351111890692	0	0	0	0
1195	SDPA89D3	1351111890688	0	0	0	0
1196	SDPA89D3	1351111890715	0	0	0	0
1197	SDPA89D3	1351111890931	0	0	0	0
1198	SDPA89D3	1351111890675	0	0	0	0
1199	SDPA89D3	1351111891043	0	0	0	0
1200	SDPA89D3	1351111890660	0	0	0	0
1201	SDPA89D3	1351111890691	0	0	0	0
1202	SDPA89D3	1351111891073	0	0	0	0
1203	SDPA89D3	1351111890953	0	0	0	0
1204	SDPA89D3	1351111891065	0	0	0	0
1205	SDPA89D3	1351111890890	0	0	0	0
1206	SDPA89D3	1351111890700	0	0	0	0
1207	SDPA89D3	1351111890982	0	0	0	0
1208	SDPA89D3	1351111890783	0	0	0	0
1209	SDPA89D3	1351111890956	0	0	0	0
1210	SDPA89D3	1351111890786	0	0	0	0
1211	SDPA89D3	1351111891057	0	0	0	0
1212	SDPA89D3	1351111891041	0	0	0	0
1213	SDPA89D4	1351111891000	0	0	0	0
1214	SDPA89D4	1351111890943	0	0	0	0
1215	SDPA89D4	1351111890981	0	0	0	0
1216	SDPA89D4	1351111890997	0	0	0	0
1217	SDPA89D4	1351111890739	0	0	0	0
1218	SDPA89D4	1351111891077	0	0	0	0
1219	SDPA89D4	1351111890726	0	0	0	0
1220	SDPA89D4	1351111891044	0	0	0	0
1221	SDPA89D4	1351111890859	0	0	0	0
1222	SDPA89D4	1351111891022	0	0	0	0
1223	SDPA89D4	1351111890904	0	0	0	0
1224	SDPA89D4	1351111890907	0	0	0	0
1225	SDPA89D4	1351111891054	0	0	0	0
1226	SDPA89D4	1351111890979	0	0	0	0
1227	SDPA89D4	1351111890756	0	0	0	0
1228	SDPA89D4	1351111890653	0	0	0	0
1229	SDPA89D4	1351111890769	0	0	0	0
1230	SDPA89D4	1351111890743	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
1231	SDPA89D4	1351111890844	0	0	0	0
1232	SDPA89D4	1351111890880	0	0	0	0
1233	SDPA89D4	1351111890995	0	0	0	0
1234	SDPA89D5	1351111891349	0	0	0	0
1235	SDPA89D5	1351111890685	0	0	0	0
1236	SDPA89D5	1351111891092	0	0	0	0
1237	SDPA89D5	1351111890952	0	0	0	0
1238	SDPA89D5	1351111890668	0	0	0	0
1239	SDPA89D5	1351111890889	0	0	0	0
1240	SDPA89D5	1351111891016	0	0	0	0
1241	SDPA89D5	1351111890751	0	0	0	0
1242	SDPA89D5	1351111890718	0	0	0	0
1243	SDPA89D5	1351111891059	0	0	0	0
1244	SDPA89D5	1351111890960	0	0	0	0
1245	SDPA89D5	1351111890894	0	0	0	0
1246	SDPA89D5	1351111890863	0	0	0	0
1247	SDPA89D5	1351111890655	0	0	0	0
1248	SDPA89D5	1351111891012	0	0	0	0
1249	SDPA89D5	1351111890701	0	0	0	0
1250	SDPA89D5	1351111891039	0	0	0	0
1251	SDPA89D5	1351111891076	0	0	0	0
1252	SDPA89D5	1351111890719	0	0	0	0
1253	SDPA89D5	1351111890916	0	0	0	0
1254	SDPA89D5	1351111890678	0	0	0	0
1255	SDPA89D6	1351111891010	0	0	0	0
1256	SDPA89D6	1351141890027	0	0	0	0
1257	SDPA89D6	1351111891052	0	0	0	0
1258	SDPA89D6	1351111890869	0	0	0	0
1259	SDPA89D6	1351111890985	0	0	0	0
1260	SDPA89D6	1351111890852	0	0	0	0
1261	SDPA89D6	1351111890753	0	0	0	0
1262	SDPA89D6	1351111890930	0	0	0	0
1263	SDPA89D6	1351111890766	0	0	0	0
1264	SDPA89D6	1351111890867	0	0	0	0
1265	SDPA89D6	1351111891025	0	0	0	0
1266	SDPA89D6	1351111890875	0	0	0	0
1267	SDPA89D6	1351111890971	0	0	0	0
1268	SDPA89D6	1351111890765	0	0	0	0
1269	SDPA89D6	1351111890777	0	0	0	0
1270	SDPA89D6	1351111890881	0	0	0	0
1271	SDPA89D6	1351111890770	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
1272	SDPA89D6	1351111890782	0	0	0	0
1273	SDPA89D6	1351111890771	0	0	0	0
1274	SDPA89D7	1351111890959	0	0	0	0
1275	SDPA89D7	1351111891081	0	0	0	0
1276	SDPA89D7	1351111890836	0	0	0	0
1277	SDPA89D7	1351111891058	0	0	0	0
1278	SDPA89D7	1351111891053	0	0	0	0
1279	SDPA89D7	1351111891085	0	0	0	0
1280	SDPA89D7	1351111891046	0	0	0	0
1281	SDPA89D7	1351111890976	0	0	0	0
1282	SDPA89D7	1351111891045	0	0	0	0
1283	SDPA89D7	1351111890862	0	0	0	0
1284	SDPA89D7	1351111891050	0	0	0	0
1285	SDPA89D7	1351111890721	0	0	0	0
1286	SDPA89D7	1351111890920	0	0	0	0
1287	SDPA89D7	1351111890712	0	0	0	0
1288	SDPA89D7	1351111890793	0	0	0	0
1289	SDPA89D7	1351111890924	0	0	0	0
1290	SDPA89D7	1351111891047	0	0	0	0
1291	SDPA89D7	1351111890672	0	0	0	0
1292	SDPA89D7	1351111890654	0	0	0	0
1293	SDPA89D7	1351111890850	0	0	0	0
1294	SDPA89D7	1351111891048	0	0	0	0
1295	SDPA89D7	1351111891032	0	0	0	0
1296	SDPA89D7	1351111890727	0	0	0	0
1297	SDPA89D7	1351111890804	0	0	0	0
1298	SDPA89D7	1351111890847	0	0	0	0
1299	SDPA89D7	1351111890921	0	0	0	0
1300	SDPA89D8	1351111891079	0	0	0	0
1301	SDPA89D8	1351111890918	0	0	0	0
1302	SDPA89D8	1351111890942	0	0	0	0
1303	SDPA89D8	1351111890694	0	0	0	0
1304	SDPA89D8	1351111890835	0	0	0	0
1305	SDPA89D8	1351111890936	0	0	0	0
1306	SDPA89D8	1351111890848	0	0	0	0
1307	SDPA89D8	1351111891006	0	0	0	0
1308	SDPA89D8	1351111890938	0	0	0	0
1309	SDPA89D8	1351121890121	0	0	0	0
1310	SDPA89D8	1351111890639	0	0	0	0
1311	SDPA89D8	1351111891082	0	0	0	0
1312	SDPA89D8	1351111890698	0	0	0	0



# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
1313	SDPA89D8	1351111890891	0	0	0	0
1314	SDPA89D8	1351111890837	0	0	0	0
1315	SDPA89D8	1351111890955	0	0	0	0
1316	SDPA89D8	1351111891074	0	0	0	0
1317	SDPA89D8	1351111891064	0	0	0	0
1318	SDPA89D8	1351111890857	0	0	0	0
1319	SDPA89D8	1351111890798	0	0	0	0
1320	SDPA89D8	1351111890908	0	0	0	0
1321	SDPA89D8	1351111890990	0	0	0	0
1322	SDPA89D9	1351111890900	0	0	0	0
1323	SDPA89D9	1351111890882	0	0	0	0
1324	SDPA89D9	1351111891017	0	0	0	0
1325	SDPA89D9	1351111890966	0	0	0	0
1326	SDPA89D9	1351111891038	0	0	0	0
1327	SDPA89D9	1351111890893	0	0	0	0
1328	SDPA89D9	1351111890858	0	0	0	0
1329	SDPA89D9	1351111890874	0	0	0	0
1330	SDPA89D9	1351111890663	0	0	0	0
1331	SDPA89D9	1351111890806	0	0	0	0
1332	SDPA89D9	1351111890658	0	0	0	0
1333	SDPA89D9	1351111891070	0	0	0	0
1334	SDPA89D9	1351111890872	0	0	0	0
1335	SDPA89D9	1351111890763	0	0	0	0
1336	SDPA89D9	1351111890651	0	0	0	0
1337	SDPA89D9	1351111891002	0	0	0	0
1338	SDPA89D9	1351111890846	0	0	0	0
1339	SDPA89D9	1351111890661	0	0	0	0
1340	SDPA89D9	1351111890676	0	0	0	0
1341	SDPA89E1	1351111891164	0	0	0	0
1342	SDPA89E1	1351111891169	0	0	0	0
1343	SDPA89E1	1351111891152	0	0	0	0
1344	SDPA89E1	1351111891188	0	0	0	0
1345	SDPA89E1	1351111891167	0	0	0	0
1346	SDPA89E1	1351111891292	0	0	0	0
1347	SDPA89E1	1351111891310	0	0	0	0
1348	SDPA89E1	1351111891245	0	0	0	0
1349	SDPA89E1	1351111891131	0	0	0	0
1350	SDPA89E1	1351111891154	0	0	0	0
1351	SDPA89E1	1351111890950	0	0	0	0
1352	SDPA89E1	1351111890822	0	0	0	0
1353	SDPA89E1	1351111891359	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
1354	SDPA89E1	1351111891232	0	0	0	0
1355	SDPA89E2	1351111891231	0	0	0	0
1356	SDPA89E2	1351111891460	0	0	0	0
1357	SDPA89E2	1351111891332	0	0	0	0
1358	SDPA89E2	1351111891242	0	0	0	0
1359	SDPA89E2	1351111891162	0	0	0	0
1360	SDPA89E2	1351111891177	0	0	0	0
1361	SDPA89E2	1351111891234	0	0	0	0
1362	SDPA89E2	1351111891183	0	0	0	0
1363	SDPA89E2	1351111891255	0	0	0	0
1364	SDPA89E2	1351111891137	0	0	0	0
1365	SDPA89E2	1351111891339	0	0	0	0
1366	SDPA89E2	1351111891120	0	0	0	0
1367	SDPA89E2	1351111891230	0	0	0	0
1368	SDPA89E2	1351111891239	0	0	0	0
1369	SDPA89E2	1351111891229	0	0	0	0
1370	SDPA89E2	1351111891171	0	0	0	0
1371	SDPA89E2	1351111891119	0	0	0	0
1372	SDPA89E2	1351111891243	0	0	0	0
1373	SDPA89E3	1351111891265	0	0	0	0
1374	SDPA89E3	1351111891271	0	0	0	0
1375	SDPA89E3	1351111891084	0	0	0	0
1376	SDPA89E3	1351111891201	0	0	0	0
1377	SDPA89E3	1351191890008	0	0	0	0
1378	SDPA89E3	1351111891103	0	0	0	0
1379	SDPA89E3	1351111891145	0	0	0	0
1380	SDPA89E3	1351111891115	0	0	0	0
1381	SDPA89E3	1351111891159	0	0	0	0
1382	SDPA89E3	1351111891227	0	0	0	0
1383	SDPA89E3	1351111891348	0	0	0	0
1384	SDPA89E3	1351111891170	0	0	0	0
1385	SDPA89E3	1351111891235	0	0	0	0
1386	SDPA89E3	1351111891328	0	0	0	0
1387	SDPA89E3	1351111891172	0	0	0	0
1388	SDPA89E3	1351111891133	0	0	0	0
1389	SDPA89E3	1351111891246	0	0	0	0
1390	SDPA89E4	1351111891107	0	0	0	0
1391	SDPA89E4	1351111891338	0	0	0	0
1392	SDPA89E4	1351111891264	0	0	0	0
1393	SDPA89E4	1351111891130	0	0	0	0
1394	SDPA89E4	1351111891202	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
1395	SDPA89E4	1351111891222	0	0	0	0
1396	SDPA89E4	1351111891316	0	0	0	0
1397	SDPA89E4	1351111891200	0	0	0	0
1398	SDPA89E4	1351111891223	0	0	0	0
1399	SDPA89E4	1351111891279	0	0	0	0
1400	SDPA89E4	1351111891290	0	0	0	0
1401	SDPA89E4	1351111891114	0	0	0	0
1402	SDPA89E4	1351111891143	0	0	0	0
1403	SDPA89E4	1351111891197	0	0	0	0
1404	SDPA89E4	1351111891179	0	0	0	0
1405	SDPA89E4	1351111891211	0	0	0	0
1406	SDPA89E4	1351111890788	0	0	0	0
1407	SDPA89E4	1351111891226	0	0	0	0
1408	SDPA89E5	1351111891134	0	0	0	0
1409	SDPA89E5	1351111891185	0	0	0	0
1410	SDPA89E5	1351111891286	0	0	0	0
1411	SDPA89E5	1351111891312	0	0	0	0
1412	SDPA89E5	1351111891187	0	0	0	0
1413	SDPA89E5	1351111891127	0	0	0	0
1414	SDPA89E5	1351111891176	0	0	0	0
1415	SDPA89E5	1351111891270	0	0	0	0
1416	SDPA89E5	1351111891113	0	0	0	0
1417	SDPA89E5	1351111891258	0	0	0	0
1418	SDPA89E5	1351111891186	0	0	0	0
1419	SDPA89E5	1351111891344	0	0	0	0
1420	SDPA89E5	1351111891253	0	0	0	0
1421	SDPA89E5	1351111891194	0	0	0	0
1422	SDPA89E5	1351111891221	0	0	0	0
1423	SDPA89E5	1351111891249	0	0	0	0
1424	SDPA89E5	1351111890832	0	0	0	0
1425	SDPA89E5	1351131890075	0	0	0	0
1426	SDPA89E5	1351111891104	0	0	0	0
1427	SDPA89E5	1351111891122	0	0	0	0
1428	SDPA89E5	1351111891214	0	0	0	0
1429	SDPA89E5	1351111891189	0	0	0	0
1430	SDPA89E5	1351111891287	0	0	0	0
1431	SDPA89E5	1351111891224	0	0	0	0
1432	SDPA89E5	1351111891305	0	0	0	0
1433	SDPA89E5	1351111891165	0	0	0	0
1434	SDPA89E5	1351111891155	0	0	0	0
1435	SDPA89E5	1351111891100	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
1436	SDPA89E5	1351111891184	0	0	0	0
1437	SDPA89E5	1351111891244	0	0	0	0
1438	SDPA89E5	1351111891129	0	0	0	0
1439	SDPA89E6	1351111891175	0	0	0	0
1440	SDPA89E6	1351111891306	0	0	0	0
1441	SDPA89E6	1351111891314	0	0	0	0
1442	SDPA89E6	1351111891291	0	0	0	0
1443	SDPA89E6	1351111891203	0	0	0	0
1444	SDPA89E6	1351111891284	0	0	0	0
1445	SDPA89E6	1351111891294	0	0	0	0
1446	SDPA89E6	1351111891340	0	0	0	0
1447	SDPA89E6	1351111891272	0	0	0	0
1448	SDPA89E6	1351111891205	0	0	0	0
1449	SDPA89E6	1351111891274	0	0	0	0
1450	SDPA89E6	1351111891277	0	0	0	0
1451	SDPA89E6	1351111891341	0	0	0	0
1452	SDPA89E6	1351111891275	0	0	0	0
1453	SDPA89E6	1351111891273	0	0	0	0
1454	SDPA89E6	1351111891311	0	0	0	0
1455	SDPA89E6	1351111891225	0	0	0	0
1456	SDPA89E6	1351111891256	0	0	0	0
1457	SDPA89E6	1351111891209	0	0	0	0
1458	SDPA89E6	1351111891193	0	0	0	0
1459	SDPA89E6	1351111891267	0	0	0	0
1460	SDPA89E6	1351111891252	0	0	0	0
1461	SDPA89E6	1351111891307	0	0	0	0
1462	SDPA89E6	1351111891288	0	0	0	0
1463	SDPA89E6	1351111891399	0	0	0	0
1464	SDPA89E6	1351111891233	0	0	0	0
1465	SDPA89E6	1351111891213	0	0	0	0
1466	SDPA89E6	1351111891354	0	0	0	0
1467	SDPA89E6	1351111891180	0	0	0	0
1468	SDPA89E6	1351111891276	0	0	0	0
1469	SDPA89E6	1351111891240	0	0	0	0
1470	SDPA89F1	1351111891379	0	0	0	0
1471	SDPA89F1	1351111891422	0	0	0	0
1472	SDPA89F1	1351111891365	0	0	0	0
1473	SDPA89F1	1351111891373	0	0	0	0
1474	SDPA89F1	1351111891451	0	0	0	0
1475	SDPA89F1	1351111891455	0	0	0	0
1476	SDPA89F1	1351111891407	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
1477	SDPA89F1	1351111891408	0	0	0	0
1478	SDPA89F1	1351111891389	0	0	0	0
1479	SDPA89F1	1351111891411	0	0	0	0
1480	SDPA89F1	1351111891356	0	0	0	0
1481	SDPA89F1	1351111891387	0	0	0	0
1482	SDPA89F1	1351111891355	0	0	0	0
1483	SDPA89F1	1351111891426	0	0	0	0
1484	SDPA89F1	1351111891436	0	0	0	0
1485	SDPA89F1	1351111891384	0	0	0	0
1486	SDPA89F1	1351111891372	0	0	0	0
1487	SDPA89F1	1351111891375	0	0	0	0
1488	SDPA89F1	1351111891366	0	0	0	0
1489	SDPA89F1	1351111891409	0	0	0	0
1490	SDPA89F1	1351121890330	0	0	0	0
1491	SDPA89F1	1351111891309	0	0	0	0
1492	SDPA89F2	1351111891369	0	0	0	0
1493	SDPA89F2	1351111891360	0	0	0	0
1494	SDPA89F2	1351111891417	0	0	0	0
1495	SDPA89F2	1351111891388	0	0	0	0
1496	SDPA89F2	1351111891368	0	0	0	0
1497	SDPA89F2	1351111891362	0	0	0	0
1498	SDPA89F2	1351111891302	0	0	0	0
1499	SDPA89F2	1351111891382	0	0	0	0
1500	SDPA89F2	1351111891371	0	0	0	0
1501	SDPA89F2	1351111891395	0	0	0	0
1502	SDPA89F2	1351111891367	0	0	0	0
1503	SDPA89F2	1351111891396	0	0	0	0
1504	SDPA89F2	1351111891419	0	0	0	0
1505	SDPA89F2	1351111891386	0	0	0	0
1506	SDPA89F2	1351111891363	0	0	0	0
1507	SDPA89F2	1351111891323	0	0	0	0
1508	SDPA89F2	1351111891378	0	0	0	0
1509	SDPA89F2	1351111891431	0	0	0	0
1510	SDPA89F2	1351111891421	0	0	0	0
1511	SDPA89G1	1351111891109	0	0	0	0
1512	SDPA89G1	1351111891458	0	0	0	0
1513	SDPA89G1	1351111890477	0	0	0	0
1514	SDPA89G1	1351111891473	0	0	0	0
1515	SDPA89G1	1351111891403	0	0	0	0
1516	SDPA89G1	1351111891374	0	0	0	0
1517	SDPA89G1	1351111891402	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
1518	SDPA89G1	1351111891445	0	0	0	0
1519	SDPA89G1	1351111891424	0	0	0	0
1520	SDPA89G2	1351111891432	0	0	0	0
1521	SDPA89G2	1351111891466	0	0	0	0
1522	SDPA89G2	1351111891406	0	0	0	0
1523	SDPA89G2	1351111891461	0	0	0	0
1524	SDPA89G2	1351111891385	0	0	0	0
1525	SDPA89G2	1351111891447	0	0	0	0
1526	SDPA89G2	1351111891277	0	0	0	0
1527	SDPA89G2	1351111891435	0	0	0	0
1528	SDPA89G2	1351111891405	0	0	0	0
1529	SDPA89G2	1351111891433	0	0	0	0
1530	SDPA89G2	1351111891446	0	0	0	0
1531	SDPA89G2	1351111891452	0	0	0	0
1532	SDPA89G2	1351111891439	0	0	0	0
1533	SDPA89G2	1351111890222	0	0	0	0
1534	SDPA89G2	1351111891449	0	0	0	0
1535	SDPA89G2	1351111891459	0	0	0	0
1536	SDPA89G2	1351111891465	0	0	0	0
1537	SDPA89H1	1351111891507	0	0	0	0
1538	SDPA89H1	1351111891511	0	0	0	0
1539	SDPA89H1	1351111891514	0	0	0	0
1540	SDPA89H1	1351111891494	0	0	0	0
1541	SDPA89H1	1351111891476	0	0	0	0
1542	SDPA89H1	1351111891509	0	0	0	0
1543	SDPA89H1	1351111891517	0	0	0	0
1544	SDPA89H1	1351111890761	0	0	0	0
1545	SDPA89H1	1351111891505	0	0	0	0
1546	SDPA89H1	1351111891490	0	0	0	0
1547	SDPA89H1	1351111891512	0	0	0	0
1548	SDPA89H1	1351111891483	0	0	0	0
1549	SDPA89H1	1351111891515	0	0	0	0
1550	SDPA89H1	1351111891552	0	0	0	0
1551	SDPA89H1	1351111891519	0	0	0	0
1552	SDPA89H1	1351111891496	0	0	0	0
1553	SDPA89H1	1351111891480	0	0	0	0
1554	SDPA89H1	1351111891525	0	0	0	0
1555	SDPA89H1	1351111891548	0	0	0	0
1556	SDPA89H1	1351111891528	0	0	0	0
1557	SDPA89H2	1351111891540	0	0	0	0
1558	SDPA89H2	1351111891508	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
1559	SDPA89H2	1351111891534	0	0	0	0
1560	SDPA89H2	1351111891486	0	0	0	0
1561	SDPA89H2	1351111891536	0	0	0	0
1562	SDPA89H2	1351111891551	0	0	0	0
1563	SDPA89H2	1351111891546	0	0	0	0
1564	SDPA89H2	1351111891537	0	0	0	0
1565	SDPA89H2	1351111891497	0	0	0	0
1566	SDPA89H2	1351111891493	0	0	0	0
1567	SDPA89H2	1351111891429	0	0	0	0
1568	SDPA89H2	1351111891533	0	0	0	0
1569	SDPA89H2	1351111891532	0	0	0	0
1570	SDPA89H2	1351111891521	0	0	0	0
1571	SDPA89H2	1351111891500	0	0	0	0
1572	SDPA89H2	1351111891489	0	0	0	0
1573	SDPA89H2	1351111891535	0	0	0	0
1574	SDPA89H2	1351111891479	0	0	0	0
1575	SDPA89H2	1351111891529	0	0	0	0
1576	SDPA89H2	1351111891526	0	0	0	0
1577	SDPA89H2	1351111891538	0	0	0	0
1578	SDPA89I1	1351111890457	0	0	0	0
1579	SDPA89I1	1351111891608	0	0	0	0
1580	SDPA89I1	1351111891607	0	0	0	0
1581	SDPA89I1	1351111891576	0	0	0	0
1582	SDPA89I1	1351111891589	0	0	0	0
1583	SDPA89I1	1351111891581	0	0	0	0
1584	SDPA89I1	1351111890987	0	0	0	0
1585	SDPA89I1	1351111891571	0	0	0	0
1586	SDPA89I1	1351111891573	0	0	0	0
1587	SDPA89I1	1351111891568	0	0	0	0
1588	SDPA89I1	1351111891584	0	0	0	0
1589	SDPA89I1	1351111891572	0	0	0	0
1590	SDPA89I1	1351111891596	0	0	0	0
1591	SDPA89I1	1351111891610	0	0	0	0
1592	SDPA89I1	1351111891609	0	0	0	0
1593	SDPA89I1	1351111891575	0	0	0	0
1594	SDPA89I2	1351111891586	0	0	0	0
1595	SDPA89I2	1351111891579	0	0	0	0
1596	SDPA89I2	1351111891606	0	0	0	0
1597	SDPA89I2	1351111891605	0	0	0	0
1598	SDPA89I2	1351111891601	0	0	0	0
1599	SDPA89I2	1351111891561	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
1600	SDPA89I2	1351111891595	0	0	0	0
1601	SDPA89I2	1351111891593	0	0	0	0
1602	SDPA89I2	1351111891587	0	0	0	0
1603	SDPA89I2	1351111891612	0	0	0	0
1604	SDPA89I2	1351111891604	0	0	0	0
1605	SDPA89I2	1351111891599	0	0	0	0
1606	SDPA89I2	1351111891569	0	0	0	0
1607	SDPA89I2	1351111891559	0	0	0	0
1608	SDPB89A1	1361111890007	0	0	0	0
1609	SDPB89A1	1361111890006	0	0	0	0
1610	SDPB89A1	1361111890013	0	0	0	0
1611	SDPB89A1	1361111890005	0	0	0	0
1612	SDPB89A1	1361111890001	0	0	0	0
1613	SDPB89A1	1361111890010	0	0	0	0
1614	SDPB89A1	1361111890002	0	0	0	0
1615	SDPB89B1	1361111890024	0	0	0	0
1616	SDPB89B1	1361111890042	0	0	0	0
1617	SDPB89B1	1361111890030	0	0	0	0
1618	SDPB89B1	1361111890025	0	0	0	0
1619	SDPB89B1	1361111890046	0	0	0	0
1620	SDPB89B1	1361111890037	0	0	0	0
1621	SDPB89B1	1361111890019	0	0	0	0
1622	SDPB89B1	1361111890029	0	0	0	0
1623	SDPB89B1	1361111890020	0	0	0	0
1624	SDPB89B1	1361111890016	0	0	0	0
1625	SDPB89B1	1361111890038	0	0	0	0
1626	SDPB89B1	1361111890023	0	0	0	0
1627	SDPB89B1	1361111890017	0	0	0	0
1628	SDPB89B1	1361111890031	0	0	0	0
1629	SDPB89B1	1361111890022	0	0	0	0
1630	SDPB89B1	1361111890026	0	0	0	0
1631	SDPB89B1	1361111890015	0	0	0	0
1632	SDPB89B1	1361111890044	0	0	0	0
1633	SDPB89B1	1361111890039	0	0	0	0
1634	SDPB89B1	1361111890041	0	0	0	0
1635	SDSA89A1	1261111890008	0	0	0	0
1636	SDSA89A1	1261111890001	0	0	0	0
1637	SDSA89A1	1262111890001	0	0	0	0
1638	SDSA89A1	1261111890004	0	0	0	0
1639	SDSA89A1	1261111890010	0	0	0	0
1640	SDSA89A1	1261111890006	0	0	0	0



# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
1641	SDSA89A1	1261111890003	0	0	0	0
1642	SDSA89A1	1261111890009	0	0	0	0
1643	SDSA89A1	1261111890002	0	0	0	0
1644	SDSA89A1	1261111890007	0	0	0	0
1645	SDSR89A1	1251111890013	0	0	0	0
1646	SDSR89A1	1251111890002	0	0	0	0
1647	SDSR89A1	1251111890011	0	0	0	0
1648	SDSR89A1	1151111790049	0	0	0	0
1649	SDSR89A1	1251111890007	0	0	0	0
1650	SDSR89A1	1251111890012	0	0	0	0
1651	SDSR89A1	1251111890015	0	0	0	0
1652	SDSR89A1	1251111890008	0	0	0	0
1653	SDSR89A1	1251111890022	0	0	0	0
1654	SDSR89A1	1251111890031	0	0	0	0
1655	SDSR89A1	1251111890009	0	0	0	0
1656	SDSR89A1	1251111890028	0	0	0	0
1657	SDSR89A1	1251111890023	0	0	0	0
1658	SDSR89A1	1251111890006	0	0	0	0
1659	SDSR89A1	1251111890020	0	0	0	0
1660	SDSR89A1	1251111890033	0	0	0	0
1661	SDSR89A1	1251111890001	0	0	0	0
1662	SDSR89A1	1251111890014	0	0	0	0
1663	SDSR89A1	1251111890024	0	0	0	0
1664	SDSR89A1	1251111890026	0	0	0	0
1665	SDSR89A1	1251111890019	0	0	0	0
1666	SDSR89A1	1251111890016	0	0	0	0
1667	SDSR89A1	1251111890021	0	0	0	0
1668	SDSR89A1	1251111890030	0	0	0	0
1669	SDSR89A1	1151111790463	0	0	0	0
1670	SDSR89A1	1251111890017	0	0	0	0
1671	SDSR89A1	1251111890010	0	0	0	0
1672	SDSR89A1	1251111890027	0	0	0	0
1673	SDSR89A1	1251111890003	0	0	0	0
1674	SDSR89B1	1251111890041	0	0	0	0
1675	SDSR89B1	1251111890032	0	0	0	0
1676	SDSR89B1	1251111890039	0	0	0	0
1677	SDSR89B1	1251111890036	0	0	0	0
1678	SDSR89B1	1251111890035	0	0	0	0
1679	SDSR89B1	1251111890034	0	0	0	0
1680	SDSR89B1	1251111890038	0	0	0	0
1681	SDSR89B1	1251111890037	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
1682	SDSR89B1	1251111890040	0	0	0	0
1683	SDSR89C1	1251111890005	0	0	0	0
1684	SDSR89C1	1251111890044	0	0	0	0
1685	SDSR89C1	1251111890047	0	0	0	0
1686	SDSR89C1	1251111890043	0	0	0	0
1687	SDSR89C1	1251111890046	0	0	0	0
1688	SDSR89C1	1251111890042	0	0	0	0
1689	SDSR89C1	1251111890045	0	0	0	0
1690	SDSW89A1	1252111890009	0	0	0	0
1691	SDSW89A1	1252111890036	0	0	0	0
1692	SDSW89A1	1252111890027	0	0	0	0
1693	SDSW89A1	1252111890035	0	0	0	0
1694	SDSW89A1	1252111890024	0	0	0	0
1695	SDSW89A1	1252111890031	0	0	0	0
1696	SDSW89A1	1252111890019	0	0	0	0
1697	SDSW89A1	1252111890017	0	0	0	0
1698	SDSW89A1	1252111890021	0	0	0	0
1699	SDSW89A1	1252111890033	0	0	0	0
1700	SDSW89A1	1272111890001	0	0	0	0
1701	SDSW89A1	1252111890003	0	0	0	0
1702	SDSW89A1	1251111890004	0	0	0	0
1703	SDSW89A1	1252111890018	0	0	0	0
1704	SDSW89A1	1252111890020	0	0	0	0
1705	SDSW89A1	1252111890006	0	0	0	0
1706	SDSW89A1	1252111890014	0	0	0	0
1707	SDSW89A1	1252111890007	0	0	0	0
1708	SDSW89A1	1252111890011	0	0	0	0
1709	SDSW89A1	1252111890005	0	0	0	0
1710	SDSW89A1	1154111790006	0	0	0	0
1711	SDSW89A1	1252111890030	0	0	0	0
1712	SDSW89A1	1252111890016	0	0	0	0
1713	SDSW89A1	1152111790089	0	0	0	0
1714	SDSW89A1	1252111890039	0	0	0	0
1715	SDSW89A1	1252111890025	0	0	0	0
1716	SDSW89A1	1252111890028	0	0	0	0
1717	SDSW89A1	1252111890015	0	0	0	0
1718	SDSW89A1	1252111890001	0	0	0	0
1719	SDSW89A1	1252111890004	0	0	0	0
1720	SDSW89A1	1152111790053	0	0	0	0
1721	SDSW89A1	1252111890029	0	0	0	0
1722	SDSW89A1	1252111890022	0	0	0	0

# MOCK TEST 6 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1
			120	120	120	360
1723	SDSW89A1	1252111890034	0	0	0	0
1724	SDSW89A1	9062111590066	0	0	0	0
1725	SDSW89A1	1252111890013	0	0	0	0
1726	SDSW89A1	1252111890012	0	0	0	0
1727	SDSW89A1	1252111890023	0	0	0	0
1728	SDSW89A1	1152111790080	0	0	0	0
1729	SDSW89A1	1252111890008	0	0	0	0
1730	SDSW89A1	1252111890002	0	0	0	0
1731	SDSW89A1	1252111890032	0	0	0	0
1732	SDSW89A1	1252111890026	0	0	0	0
1733	SDSW89B1	1252111890042	0	0	0	0
1734	SDSW89B1	1252111890046	0	0	0	0
1735	SDSW89B1	1252111890045	0	0	0	0
1736	SDSW89B1	1252111890044	0	0	0	0
1737	SDSW89B1	1252111890037	0	0	0	0
1738	SDSW89B1	1252111890043	0	0	0	0
1739	SDSW89B1	1252111890041	0	0	0	0
1740	SDSW89B1	1252111890010	0	0	0	0
1741	SDSW89B1	1252111890040	0	0	0	0
1742	SDSW89B1	1152111790268	0	0	0	0
1743	SDSW89B1	1252111890038	0	0	0	0
1744	SDSW89C1	1252111890047	0	0	0	0
1745	SDSW89C1	1252111890048	0	0	0	0
1746	SDSW89C1	1252111890049	0	0	0	0
1747	SDPA89D3	1351111890747	0	0	0	0
1748	SDPA89D1	1351111891066	0	0	0	0
1749	SDPA89E4	1351111891282	0	0	0	0
1750	SDPA89H2	1351111891543	0	0	0	0