

# MOCK TEST 1 AND 2 ADDITIONAL RESULT

**NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST**

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1	P-2	C-2	M-2	T-2	GT
			120	120	120	360	120	120	120	360	720
1	SDST79R1	1151111790196	111	87	90	288	57	97	72	226	514
2	SDST79R1	1151111790397	97	85	76	258	103	97	33	233	491
3	SDPA89E1	1351111891346	101	98	60	259	81	86	64	231	490
4	SDST79R1	1151111790002	110	77	107	294	45	74	70	189	483
5	SDST79W1	9062111590094	110	77	88	275	68	75	63	206	481
6	SANKALP89P	1351111890947	91	87	78	256	34	91	94	219	475
7	SDPA89D1	1351111890870	93	70	62	225	102	79	55	236	461
8	SANKALP89P	1351111891015	100	97	94	291	53	74	39	166	457
9	SDST79R1	1061111690023	95	72	88	255	89	50	63	202	457
10	SANKALP89P	1351111891049	106	66	79	251	99	18	84	201	452
11	SDPA89F1	1351111891428	101	71	55	227	51	92	82	225	452
12	SDST79W1	1152111790375	68	90	75	233	40	100	69	209	442
13	SDST79R1	1151111790350	93	77	74	244	69	73	55	197	441
14	SDST79R1	1062111690065	63	77	84	224	50	81	84	215	439
15	SDPA89E1	1351111890991	78	91	62	231	57	81	53	191	422
16	SDPA89D1	1351111890703	93	67	54	214	59	59	76	194	408
17	SDPA89D1	1351111890801	86	95	47	228	63	68	39	170	398
18	SDPA89F1	1351111891398	93	67	85	245	44	58	50	152	397
19	SDST79R1	1151111790042	91	73	62	226	57	63	47	167	393
20	SDPA89D2	1351111891011	99	83	36	218	57	68	42	167	385
21	SDPA89D4	1351111890803	76	85	62	223	23	80	57	160	383
22	SDST79R1	1151111790170	57	76	76	209	53	63	56	172	381
23	SDST79W1	1152111790207	101	75	51	227	69	38	47	154	381
24	SDTW79X1	9062111590035	103	64	52	219	57	65	40	162	381
25	SDPA89I1	1351111891577	71	68	79	218	74	57	27	158	376
26	SDST79R1	1151111790082	84	56	57	197	69	58	51	178	375
27	SDSW89A1	1252111890004	72	62	47	181	80	69	42	191	372
28	SDST79R1	1151111790011	93	80	47	220	55	59	30	144	364
29	SDPA89D1	1351111890758	85	62	54	201	28	71	62	161	362
30	SDPA89D1	1351111890941	80	63	63	206	49	47	60	156	362
31	SDST79R1	1151111790325	51	71	73	195	42	79	45	166	361
32	SDST79W1	1152111790116	81	67	73	221	39	44	52	135	356
33	SDPA89D1	1351111890738	91	77	62	230	17	71	36	124	354
34	SDPA89H1	1351111891510	94	56	70	220	25	42	62	129	349
35	SDPA89D1	1351111890929	86	68	56	210	65	44	26	135	345
36	SDPA89D3	1351111890082	83	84	41	208	46	52	39	137	345
37	SDPA89F1	1351111891370	66	81	38	185	67	61	31	159	344
38	SDPA89E1	1351111891260	81	59	56	196	79	19	48	146	342
39	SDST79W1	1152111790269	59	74	73	206	21	52	62	135	341
40	SDTR79X1	1110111790088	82	73	63	218	48	38	37	123	341
41	SANKALP79S	1062111690060	110	110	120	340	0	0	0	0	340
42	SDPA89F1	1351111891391	97	65	44	206	33	59	40	132	338
43	SDPA89E1	1351111891146	63	67	61	191	32	67	45	144	335
44	SDPA89G1	1351111891427	82	59	46	187	63	25	57	145	332
45	SANKALP79O	1151111790126	120	105	105	330	0	0	0	0	330
46	SDPA89I1	1351111891603	63	77	66	206	13	62	47	122	328
47	SDPA89D3	1351111890670	73	65	43	181	41	54	49	144	325
48	SDST79R1	1151111790365	83	82	41	206	42	54	19	115	321
49	SANKALP89P	1351111891040	115	100	105	320	0	0	0	0	320
50	SDPA89D4	1351111891068	71	67	41	179	37	72	32	141	320
51	SDST79W1	1152111790164	75	34	53	162	61	31	66	158	320
52	SANKALP79E	1151111790080	115	105	99	319	0	0	0	0	319
53	SDPA89D2	1351111890706	77	62	71	210	26	35	45	106	316

# MOCK TEST 1 AND 2 ADDITIONAL RESULT

**NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST**

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1	P-2	C-2	M-2	T-2	GT
			120	120	120	360	120	120	120	360	720
54	SDTW79X1	1152111790157	61	56	52	169	45	57	45	147	316
55	SDPA89E2	1351111891318	70	41	77	188	39	31	56	126	314
56	SDPA89D2	1351111890912	70	81	45	196	29	54	34	117	313
57	SDTR79X1	1151111790168	67	48	48	163	32	62	51	145	308
58	SDST79R1	1151111790132	120	101	85	306	0	0	0	0	306
59	SDPA89D4	1351211890050	47	68	62	177	33	59	36	128	305
60	SANKALP79S	9061181590016	115	100	90	305	0	0	0	0	305
61	SDPA89I1	1351111891574	115	90	96	301	0	0	0	0	301
62	SDPA89D4	1351111890988	61	68	47	176	37	46	40	123	299
63	SDPA89D1	1351111890967	87	71	32	190	54	23	30	107	297
64	SDPA89D2	1351111890697	67	76	52	195	31	46	25	102	297
65	SANKALP79E	1062111690044	100	106	91	297	0	0	0	0	297
66	SDPA89H1	1351111891550	68	60	43	171	40	51	34	125	296
67	SANKALP89P	1351111891055	110	85	100	295	0	0	0	0	295
68	SDPA89B3	1351111890318	63	67	43	173	0	62	60	122	295
69	SDTW79X2	1152111790023	53	70	67	190	26	51	27	104	294
70	SDTR79X2	1151111790070	54	85	49	188	21	62	20	103	291
71	SDPA89E1	1351111891215	74	65	52	191	37	35	26	98	289
72	SDPA89E1	1351111891161	82	76	47	205	35	9	40	84	289
73	SDPA89D2	1351111890656	67	53	47	167	30	41	49	120	287
74	SDTW79X1	1152111790026	46	70	50	166	23	56	40	119	285
75	SDSW89A1	1252111890018	87	50	44	181	25	26	51	102	283
76	SANKALP89P	1351111891008	97	101	82	280	0	0	0	0	280
77	SDPA89E3	1351111891342	50	52	75	177	25	28	50	103	280
78	SANKALP79S	1062111690029	111	80	88	279	0	0	0	0	279
79	SDPA89E1	1351111890950	53	58	0	111	55	66	46	167	278
80	SDPA89D1	1351111891066	107	93	76	276	0	0	0	0	276
81	SDPA89C1	1351111890382	59	59	28	146	40	39	50	129	275
82	SANKALP79E	1151111790013	105	87	83	275	0	0	0	0	275
83	SANKALP89P	1351111890914	101	80	92	273	0	0	0	0	273
84	SDPA89E4	1351111891259	79	61	35	175	36	39	20	95	270
85	SDPA89G1	1351111891259	79	61	35	175	36	39	20	95	270
86	SANKALP79P	906111590004	97	85	85	267	0	0	0	0	267
87	SDST79R1	1151111790164	77	67	21	165	61	33	8	102	267
88	SDTW79X1	1152111790475	52	68	41	161	14	46	46	106	267
89	SDPA89C1	1351111890237	57	61	31	149	18	60	38	116	265
90	SDST79W1	1152111790032	11	1	3	15	84	102	61	247	262
91	SDPA89H1	1351111891485	71	50	56	177	36	14	34	84	261
92	SDTW79X2	1062111690079	57	57	52	166	33	16	41	90	256
93	SANKALP79O	9062721590014	91	75	84	250	0	0	0	0	250
94	SDST79W1	1152111790137	-4	7	5	8	68	93	80	241	249
95	SDTR79X4	9061111590030	52	46	45	143	20	61	25	106	249
96	SDPA89I1	1351111891563	52	35	56	143	12	49	43	104	247
97	SDPA89E1	1351111890901	0	0	0	0	82	101	61	244	244
98	SANKALP79E	1062111690067	92	79	73	244	0	0	0	0	244
99	SDTW79X2	1152111790029	34	70	54	158	30	19	34	83	241
100	SDPA89D1	1351111890927	21	14	4	39	74	67	60	201	240
101	SDPA89E2	1351111891320	40	55	43	138	25	42	35	102	240
102	SDPA89D1	1351111890944	106	79	54	239	0	0	0	0	239
103	SANKALP89P	1351111890925	69	75	94	238	0	0	0	0	238
104	SDPA89B1	1351111890327	55	59	47	161	0	38	39	77	238
105	SDPA89F1	1351111891380	88	73	76	237	0	0	0	0	237
106	SDPA89A1	1351111890081	90	67	78	235	0	0	0	0	235

# MOCK TEST 1 AND 2 ADDITIONAL RESULT

**NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST**

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1	P-2	C-2	M-2	T-2	GT
			120	120	120	360	120	120	120	360	720
107	SDPA89G1	1351111891416	38	61	45	144	6	40	45	91	235
108	SDTR79X2	1151111790330	49	57	36	142	17	29	47	93	235
109	SDPA89B3	1351111890152	15	56	53	124	4	55	50	109	233
110	SDPA89B3	1351111890255	64	75	9	148	9	44	31	84	232
111	SDPA89H1	1351111891506	27	50	62	139	14	32	47	93	232
112	SDPB89A1	1361111890012	64	39	46	149	21	50	12	83	232
113	SDPA89E4	1351111891106	67	44	14	125	34	49	23	106	231
114	SDPA89D2	1351111890815	97	77	55	229	0	0	0	0	229
115	SDST79R1	1062111690074	11	11	2	24	76	61	68	205	229
116	SDPA89H1	1351111891495	38	53	44	135	13	48	32	93	228
117	SDST79W1	9062111590109	60	49	75	184	11	33	0	44	228
118	SDTW79X3	1152111790156	58	54	52	164	25	16	20	61	225
119	SDTW79X13	1152111790103	57	45	38	140	6	48	30	84	224
120	SDPA89D6	1351111890813	59	72	24	155	21	22	25	68	223
121	SDST79R1	1151111790018	60	74	89	223	0	0	0	0	223
122	SDST79W1	1151111790244	-2	11	1	10	66	95	52	213	223
123	SDPA89B2	1351111890225	81	56	26	163	26	18	15	59	222
124	SDPA89D5	1351111890977	43	59	46	148	1	44	28	73	221
125	SDPA89E1	1351111891149	79	76	66	221	0	0	0	0	221
126	SDTW79X1	9065111590063	12	-3	10	19	76	82	44	202	221
127	SANKALP89P	1351111890839	58	39	36	133	19	33	35	87	220
128	SDTW79X10	1152111790509	43	31	46	120	30	33	37	100	220
129	SDTW79X2	1152111790361	45	45	36	126	23	44	27	94	220
130	SDTW79X3	1152111790320	50	52	32	134	28	35	21	84	218
131	SDPA89D1	1351111890898	11	-4	3	10	80	83	43	206	216
132	SDPA89F2	1351111891397	44	70	20	134	3	38	39	80	214
133	SDST79R1	1151111790064	5	-4	6	7	63	85	59	207	214
134	SDTW79X6	1152111790342	54	55	34	143	15	34	22	71	214
135	SDPA89F2	1351111891420	0	59	72	131	3	47	32	82	213
136	SDSW89A1	1252111890002	40	47	40	127	8	53	24	85	212
137	SDPA89D2	1351111890816	48	28	59	135	12	27	37	76	211
138	SDPA89F1	1351111891394	11	16	1	28	42	68	73	183	211
139	SDST79R1	1151111790363	26	61	21	108	35	54	14	103	211
140	SDTR79X2	1151111790358	32	44	66	142	0	13	56	69	211
141	SDTW79X5	1152111790271	55	60	26	141	-1	54	17	70	211
142	SDPA89E1	1351111891335	73	77	60	210	0	0	0	0	210
143	SDPA89E2	1351111891326	57	57	13	127	29	37	15	81	208
144	SDTW79X6	1152111790333	57	46	28	131	27	23	26	76	207
145	SDPA89D3	1351111890833	10	4	24	38	66	54	48	168	206
146	SDPA89E3	1351111891153	64	45	15	124	27	47	8	82	206
147	SDTR79X1	1151111790368	57	37	32	126	46	10	24	80	206
148	SDPA89B1	1351111890168	21	46	47	114	41	14	36	91	205
149	SDPA89I1	1351111891558	18	13	5	36	46	86	37	169	205
150	SDSR89A1	1251111890009	49	45	59	153	9	11	32	52	205
151	SDPA89D6	1351111890922	55	39	17	111	32	40	21	93	204
152	SDST79W1	1152111790021	16	5	8	29	75	72	28	175	204
153	SDPA89C4	1351111890443	32	48	35	115	21	40	27	88	203
154	SDPA89D1	1351111890961	9	1	6	16	90	59	37	186	202
155	SDPA89D3	1351111890935	77	80	45	202	0	0	0	0	202
156	SDPA89D5	1351111890768	0	0	0	0	72	93	37	202	202
157	SDPA89F1	1351111891029	78	77	47	202	0	0	0	0	202
158	SDTW79X2	1151111790494	45	61	25	131	1	46	23	70	201
159	SDTW79X4	9062111590028	75	25	42	142	19	11	29	59	201

# MOCK TEST 1 AND 2 ADDITIONAL RESULT

**NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST**

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1	P-2	C-2	M-2	T-2	GT
			120	120	120	360	120	120	120	360	720
160	SDPA89D1	1351111891554	27	38	57	122	22	24	32	78	200
161	SDTW79X3	1152111790066	55	41	33	129	28	31	12	71	200
162	SDPA89D7	1351111890748	74	56	-5	125	29	29	16	74	199
163	SDPA89C4	1351111890507	35	54	26	115	43	23	16	82	197
164	SDPA89D8	1351111890864	30	58	25	113	24	50	10	84	197
165	SDPB89B1	1361111890036	38	17	39	94	35	13	53	101	195
166	SDTR79X2	1151111790004	47	53	43	143	10	28	14	52	195
167	SDPA89D1	1351111890662	-2	-2	8	4	55	88	47	190	194
168	SDPA89E3	1351111891195	44	62	20	126	13	23	31	67	193
169	SDTW79X3	1152111790149	64	38	42	144	11	12	25	48	192
170	SDPA89D3	1351111890975	-2	-1	8	5	72	75	39	186	191
171	SDTW79X3	1151111790119	66	41	31	138	8	33	12	53	191
172	SDPA89I1	1351111891583	6	7	15	28	44	74	43	161	189
173	SDTW79X1	1152111790317	32	42	50	124	4	34	27	65	189
174	SDPA89B2	1351111890158	22	37	53	112	41	15	20	76	188
175	SDPA89C2	1351111890473	51	49	13	113	30	21	24	75	188
176	SDPA89C1	1351111890444	66	41	80	187	0	0	0	0	187
177	SDPA89E1	1351111891190	12	-5	13	20	73	42	52	167	187
178	SDTR79X7	1151111790189	40	50	31	121	26	25	15	66	187
179	SDPA89E4	1351111891257	39	89	58	186	0	0	0	0	186
180	SDPA89E3	1351111891319	74	57	54	185	0	0	0	0	185
181	SDTW79X5	1152111790331	23	40	30	93	15	48	27	90	183
182	SDTW79X4	1152111790493	43	38	27	108	8	18	47	73	181
183	SDPA89D1	1351111890986	6	2	10	18	39	80	43	162	180
184	SDPA89E1	1351111891139	68	49	63	180	0	0	0	0	180
185	SDST79W1	1152111790153	-3	10	6	13	46	77	44	167	180
186	SDTR79X2	1151111790236	53	30	30	113	22	22	23	67	180
187	SDST79W1	9062111590050	56	63	60	179	0	0	0	0	179
188	SDPA89C1	1351111890596	23	52	45	120	-1	36	20	55	175
189	SDPA89E2	1351111891097	71	53	51	175	0	0	0	0	175
190	SDTW79X5	1152111790091	23	70	6	99	18	39	19	76	175
191	SDPA89D1	1351111891298	53	69	52	174	0	0	0	0	174
192	SDPA89E5	1351111891343	52	19	26	97	25	0	52	77	174
193	SDPA89F1	1351111891457	36	55	24	115	5	27	27	59	174
194	SDST79R1	1151111790096	7	7	10	24	28	80	42	150	174
195	SDPA89D9	1351111890984	13	51	37	101	6	38	28	72	173
196	SDPA89D1	1351111890489	11	2	10	23	46	56	47	149	172
197	SDTW79X3	1152111790247	25	9	65	99	11	-5	66	72	171
198	SDPA89D4	1351111890819	51	73	46	170	0	0	0	0	170
199	SDPA89D5	1351111890820	57	41	27	125	3	16	26	45	170
200	SDPA89E1	1351111891236	64	66	38	168	0	0	0	0	168
201	SDTR79X3	1151111790553	24	54	20	98	7	50	11	68	166
202	SDPA89C1	1351111890445	78	56	31	165	0	0	0	0	165
203	SDPA89E2	1351111891321	6	7	2	15	45	49	56	150	165
204	SDPA89A1	1351111890127	73	63	27	163	0	0	0	0	163
205	SDPA89F2	1351111891413	45	22	35	102	24	0	37	61	163
206	SDTW79X6	1152111790281	32	19	48	99	16	12	36	64	163
207	SDPA89B3	1351111890399	11	60	18	89	0	31	42	73	162
208	SDPA89E2	1351111891293	78	51	33	162	0	0	0	0	162
209	SDPA89H1	1351111891524	1	39	46	86	7	28	41	76	162
210	SDTX79Y1	1152111790158	22	48	21	91	6	44	21	71	162
211	SDPA89E2	1351111891303	42	67	52	161	0	0	0	0	161
212	SDPA89E2	1351111890937	47	53	60	160	0	0	0	0	160

# MOCK TEST 1 AND 2 ADDITIONAL RESULT

**NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST**

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1	P-2	C-2	M-2	T-2	GT
			120	120	120	360	120	120	120	360	720
213	SDPA89B4	1351111890235	29	46	20	95	21	4	39	64	159
214	SDPA89D2	1351111890973	59	73	27	159	0	0	0	0	159
215	SANKALP89P	1351111891297	7	9	5	21	25	72	40	137	158
216	SDST79W1	1152111790034	-3	-12	15	0	50	56	52	158	158
217	SDTR79X3	1151111790095	48	47	19	114	3	21	20	44	158
218	SDPA89C1	1351111890638	50	55	52	157	0	0	0	0	157
219	SDPA89D2	1351111890860	9	4	4	17	41	60	39	140	157
220	SDTR79X1	1151111790050	50	71	36	157	0	0	0	0	157
221	SDPA89D6	1351111890853	45	42	17	104	14	32	6	52	156
222	SDPA89E4	1351111891290	46	65	45	156	0	0	0	0	156
223	SDTW79X2	1152111790272	71	61	24	156	0	0	0	0	156
224	SDTW79X6	1062111690053	75	49	30	154	0	0	0	0	154
225	SDPA89C1	1351111890516	42	44	67	153	0	0	0	0	153
226	SDPA89B3	1351111890316	11	7	2	20	61	33	38	132	152
227	SDPA89F1	1351111891444	0	0	0	0	40	69	43	152	152
228	SDSA89A1	1262111890001	-5	-14	22	3	47	40	62	149	152
229	SDPA89A2	1351111890107	24	43	11	78	3	23	47	73	151
230	SDPA89C3	1351111890597	28	24	35	87	13	19	32	64	151
231	SDST79W1	1062111690015	21	48	32	101	11	23	16	50	151
232	SDPA89D2	1351111890899	2	14	1	17	46	53	34	133	150
233	SDTW79X11	1151111790529	35	25	40	100	15	30	5	50	150
234	SDSR89B1	1251111890041	54	63	32	149	0	0	0	0	149
235	SDTW79X1	1062111690032	43	52	54	149	0	0	0	0	149
236	SANKALP89P	1351111891296	0	0	0	0	31	56	61	148	148
237	SDPA89B2	1351111890164	13	62	9	84	18	21	25	64	148
238	SDST79W1	1152111790072	33	61	54	148	0	0	0	0	148
239	SDPA89C2	1351111890505	49	61	37	147	0	0	0	0	147
240	SDPA89B1	1351111890365	0	0	0	0	37	85	24	146	146
241	SDTW79X4	1152101790013	38	61	47	146	0	0	0	0	146
242	SDTR79X2	1151111790061	44	50	51	145	0	0	0	0	145
243	SDTW79X4	1152111790114	43	51	49	143	0	0	0	0	143
244	SDPA89D5	1351111891349	0	0	0	0	49	76	17	142	142
245	SDPA89B2	1351111890360	36	32	16	84	4	27	26	57	141
246	SDPA89D5	1351111890776	55	36	50	141	0	0	0	0	141
247	SDTW79X6	1152111790022	33	39	21	93	8	31	9	48	141
248	SDTW79X6	1152111790236	32	41	27	100	1	24	16	41	141
249	SDPA89C3	1351111890528	0	0	0	0	27	58	55	140	140
250	SDPA89E3	1351111890978	38	33	68	139	0	0	0	0	139
251	SDPA89C4	1351111890470	52	17	17	86	20	18	14	52	138
252	SDST79W1	1062111690091	56	53	29	138	0	0	0	0	138
253	SDTR79X4	1151111790379	41	26	18	85	21	16	16	53	138
254	SDTW79X2	1152111790308	-11	17	0	6	36	59	37	132	138
255	SDPB89B1	1361111890040	0	0	0	0	68	50	19	137	137
256	SDTW79X3	1152111790497	39	64	34	137	0	0	0	0	137
257	SDTR79X1	1061111690001	54	47	35	136	0	0	0	0	136
258	SDTR79X1	1151111790361	5	2	7	14	59	39	24	122	136
259	SDPA89A1	1351111890046	71	41	23	135	0	0	0	0	135
260	SDPA89D5	1351111891007	33	83	19	135	0	0	0	0	135
261	SDTW79X3	1152111790574	4	72	9	85	-1	47	4	50	135
262	SDTW79X8	1152111790028	8	32	20	60	7	52	16	75	135
263	SDST79W1	9062111590098	0	0	0	0	36	59	39	134	134
264	SDTW79X1	1062111690048	5	8	10	23	42	58	11	111	134
265	SDPA89A1	1351111890129	0	0	0	0	30	64	39	133	133

# MOCK TEST 1 AND 2 ADDITIONAL RESULT

**NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST**

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1	P-2	C-2	M-2	T-2	GT
			120	120	120	360	120	120	120	360	720
266	SDST79W1	1152111790161	32	55	46	133	0	0	0	0	133
267	SDTW79X4	1152111790007	15	15	39	69	18	26	19	63	132
268	SDTW79X5	1152111790564	39	54	39	132	0	0	0	0	132
269	SDTW79X5	1151111790192	14	53	19	86	6	16	22	44	130
270	SDPA89D4	1351111890823	10	20	4	34	6	51	38	95	129
271	SDSW89A1	1252111890009	32	52	3	87	22	6	14	42	129
272	SDPA89A1	1351111890112	-2	11	8	17	35	47	29	111	128
273	SDTR79X4	1151111790178	19	44	24	87	13	6	22	41	128
274	SDTW79X8	1152111790451	22	27	36	85	0	5	38	43	128
275	SDPA89D4	1351111890868	60	48	19	127	0	0	0	0	127
276	SDPA89H1	1351111891545	0	0	0	0	65	35	27	127	127
277	SDSR89B1	1251111890034	42	38	46	126	0	0	0	0	126
278	SDST79R1	1151111790021	-5	3	4	2	27	49	48	124	126
279	SDTR79X3	1151111790321	32	54	10	96	6	11	13	30	126
280	SDPA89D3	1351111890810	46	43	36	125	0	0	0	0	125
281	SDPA89H1	1351111891499	-4	-10	3	-11	32	54	50	136	125
282	SDTW79X1	1062111690023	0	0	0	0	10	60	55	125	125
283	SDPA89A3	1351111890042	52	56	16	124	0	0	0	0	124
284	SDPA89B3	1351111890374	0	0	0	0	59	53	12	124	124
285	SDTW79X3	1062111690039	19	-3	13	29	14	33	48	95	124
286	SDPA89D2	1351111890792	0	0	0	0	25	60	38	123	123
287	SDPB89B1	1361111890021	30	8	28	66	23	6	28	57	123
288	SDTR79X3	1151111790200	-2	8	-1	5	33	42	43	118	123
289	SDPA89B5	1351111890353	21	24	31	76	11	0	35	46	122
290	SDPA89D9	1351111890651	36	47	2	85	8	26	3	37	122
291	SDPA89A3	1351111890035	4	40	16	60	5	30	26	61	121
292	SDPA89E2	1351111891352	4	-4	2	2	19	60	40	119	121
293	SDTW79X4	1152111790555	47	44	30	121	0	0	0	0	121
294	SDTW79X6	1152111790473	7	37	22	66	5	25	25	55	121
295	SDPA89C5	1351111890565	33	57	30	120	0	0	0	0	120
296	SDPA89D9	1351111890897	34	52	5	91	11	17	1	29	120
297	SDPA89E2	1351111891242	21	28	71	120	0	0	0	0	120
298	SDTR79X2	1151111790374	35	49	23	107	3	11	-1	13	120
299	SDTW79X11	1152111790037	29	67	24	120	0	0	0	0	120
300	SDTW79X4	1152111790300	31	28	16	75	15	11	19	45	120
301	SDPA89C5	1351111890581	17	36	13	66	22	16	13	51	117
302	SDPA89D10	1351111890745	6	25	20	51	35	20	10	65	116
303	SDPA89D6	1351111891096	66	19	31	116	0	0	0	0	116
304	SDPA89E2	1351111891241	22	-5	11	28	26	46	16	88	116
305	SDPA89B3	1351111890247	53	39	23	115	0	0	0	0	115
306	SDPA89C4	1351111890290	48	36	4	88	0	15	12	27	115
307	SDTW79X2	9062111590012	-5	4	9	8	31	37	39	107	115
308	SDTW79X3	1152111790121	0	0	0	0	58	30	26	114	114
309	SDPA89E3	1351111891336	0	0	0	0	45	44	24	113	113
310	SDST79R1	1151111790151	-3	6	9	12	24	42	35	101	113
311	SDTW79X10	1151111790087	32	40	40	112	0	0	0	0	112
312	SDPA89A2	1351111890004	0	0	0	0	24	52	35	111	111
313	SDPA89B3	1351111890160	5	2	-5	2	33	51	25	109	111
314	SDPA89D6	1351111890306	54	50	5	109	0	0	0	0	109
315	SDPA89E4	1351111891331	-3	9	3	9	24	57	19	100	109
316	SDPB89A1	1361111890011	-2	6	-1	3	7	79	20	106	109
317	SDPA89D3	1351111890214	59	38	11	108	0	0	0	0	108
318	SDPA89D3	1351111890877	-1	-4	4	-1	24	55	30	109	108

# MOCK TEST 1 AND 2 ADDITIONAL RESULT

**NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST**

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1	P-2	C-2	M-2	T-2	GT
			120	120	120	360	120	120	120	360	720
319	SDPA89D3	1351111890729	0	0	0	0	24	50	32	106	106
320	SDTW79X1	9065111590018	43	20	43	106	0	0	0	0	106
321	SDPA89E2	1351111891101	12	-7	7	12	28	34	31	93	105
322	SDPA89E5	1351111891345	35	20	50	105	0	0	0	0	105
323	SDPA89F1	1351111891030	45	47	13	105	0	0	0	0	105
324	SDPA89G1	1351111891414	29	45	31	105	0	0	0	0	105
325	SDPA89F1	1351111891442	0	0	0	0	10	53	41	104	104
326	SDTW79X7	1152111790433	37	61	6	104	0	0	0	0	104
327	SDPA89B2	1351111890294	0	0	0	0	30	49	24	103	103
328	SDPA89C4	1351111890163	-2	1	13	12	13	44	34	91	103
329	SDPA89D4	1351111890696	38	54	11	103	0	0	0	0	103
330	SDTW79X7	9062111590054	50	40	13	103	0	0	0	0	103
331	SDPA89A1	1351111890074	0	0	0	0	11	57	34	102	102
332	SDPA89D7	1351111890793	44	50	8	102	0	0	0	0	102
333	SDPA89D9	1351111890695	23	44	35	102	0	0	0	0	102
334	SDST79W1	9062111590011	0	0	0	0	33	57	11	101	101
335	SDPA89C1	1351111890452	6	13	1	20	34	25	21	80	100
336	SDPA89H1	1351111891511	10	15	15	40	20	40	0	60	100
337	SDTR79X1	1151111790033	0	0	0	0	32	20	48	100	100
338	SDPA89B3	1351111890269	31	41	26	98	0	0	0	0	98
339	SDPA89C3	1351111890529	16	66	16	98	0	0	0	0	98
340	SDTR79X8	1151111790402	44	8	1	53	15	22	8	45	98
341	SDTW79X1	1151111790510	31	34	33	98	0	0	0	0	98
342	SDSR89C1	1251111890044	37	25	35	97	0	0	0	0	97
343	SDTW79X3	1152111790343	19	35	42	96	0	0	0	0	96
344	SDTW79X9	1152111790213	14	33	11	58	4	16	18	38	96
345	SDPA89D8	1351111890808	2	37	56	95	0	0	0	0	95
346	SDSW89B1	1252111890044	28	31	36	95	0	0	0	0	95
347	SDTW79X4	1152111790237	30	61	4	95	0	0	0	0	95
348	SDTW79X5	1152111790377	21	26	17	64	2	4	24	30	94
349	SDPB89B1	1361111890045	40	33	20	93	0	0	0	0	93
350	SDST79W1	1152111790307	0	0	0	0	24	35	32	91	91
351	SDTW79X12	1152111790338	26	37	28	91	0	0	0	0	91
352	SDPA89C2	1351111890498	47	33	10	90	0	0	0	0	90
353	SDPB89B1	1361111890014	28	33	29	90	0	0	0	0	90
354	SDPA89C4	1351111890492	44	42	3	89	0	0	0	0	89
355	SDTR79X1	1151111790240	0	0	0	0	26	38	24	88	88
356	SDPA89B3	1351111890199	0	0	0	0	24	29	34	87	87
357	SDPA89D5	1351111890873	1	2	-3	0	25	51	11	87	87
358	SDTW79X7	1152111790436	34	51	2	87	0	0	0	0	87
359	SDTW79X9	1152111790274	11	19	14	44	12	17	13	42	86
360	SDPA89E4	1351111891117	0	0	0	0	16	36	33	85	85
361	SDPA89H2	1351111891531	23	55	7	85	0	0	0	0	85
362	SDSR89A1	1251111890010	5	5	5	15	19	32	19	70	85
363	SDTR79X2	1151111790247	24	57	4	85	0	0	0	0	85
364	SDPA89C1	1351111890632	0	0	0	0	13	26	45	84	84
365	SDPA89D4	1351111890693	0	0	0	0	8	36	40	84	84
366	SDTW79X3	1152111790368	0	0	0	0	17	35	32	84	84
367	SDTW79X3	1152111790209	0	0	0	0	10	27	47	84	84
368	SDTW79X3	1062111690093	-4	-5	8	-1	2	47	36	85	84
369	SDTW79X5	1062111690045	13	19	23	55	1	10	18	29	84
370	SDPA89C5	1351111890566	31	39	13	83	0	0	0	0	83
371	SDPA89H2	1351111891555	19	28	36	83	0	0	0	0	83

# MOCK TEST 1 AND 2 ADDITIONAL RESULT

**NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST**

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1	P-2	C-2	M-2	T-2	GT
			120	120	120	360	120	120	120	360	720
372	SDTW79X4	1152111790536	12	46	25	83	0	0	0	0	83
373	SDTR79X7	1151111790176	0	0	0	0	27	42	13	82	82
374	SDTW79X5	1152111790112	28	36	18	82	0	0	0	0	82
375	SDPA89B5	1351111890395	0	0	0	0	27	40	14	81	81
376	SDPA89E5	1351111891182	36	41	4	81	0	0	0	0	81
377	SDPA89C2	1351111890549	0	0	0	0	21	53	6	80	80
378	SDPA89C4	1351111890471	0	0	0	0	20	25	35	80	80
379	SDPA89E4	1351111891289	0	0	0	0	14	10	55	79	79
380	SDTR79X9	1151111790056	20	27	20	67	4	4	4	12	79
381	SDTW79X4	1152111790183	0	0	0	0	9	26	44	79	79
382	SDPA89B4	1351111890357	23	21	34	78	0	0	0	0	78
383	SDPA89C1	1351111890495	3	-4	4	3	6	37	32	75	78
384	SDPA89D8	1351111890933	0	0	0	0	6	50	22	78	78
385	SDPA89E4	1351111891110	0	0	0	0	8	38	32	78	78
386	SDPB89B1	1361111890032	31	36	11	78	0	0	0	0	78
387	SDPA89D8	1351111890993	20	22	35	77	0	0	0	0	77
388	SDPA89D6	1351111890843	-2	26	7	31	10	16	19	45	76
389	SDTW79X6	1152111790367	10	0	16	26	9	26	15	50	76
390	SDPA89A3	1351111890128	31	34	10	75	0	0	0	0	75
391	SDPA89C3	1351111890545	0	0	0	0	3	54	18	75	75
392	SDPA89D9	1351111890789	35	36	4	75	0	0	0	0	75
393	SDPA89F2	1351111891450	10	-3	6	13	22	0	40	62	75
394	SDTW79X1	9062111590038	26	30	19	75	0	0	0	0	75
395	SDTW79X6	1152111790316	36	30	9	75	0	0	0	0	75
396	SDPA89C6	1351111890532	31	25	18	74	0	0	0	0	74
397	SDTR79X4	1110111790360	29	30	15	74	0	0	0	0	74
398	SDTW79X4	1152111790545	7	25	16	48	8	7	11	26	74
399	SDPA89E3	1351111891108	0	0	0	0	24	13	36	73	73
400	SDTR79X7	1151111790372	21	15	16	52	-2	8	15	21	73
401	SDTW79X1	1152141790026	9	20	16	45	8	9	11	28	73
402	SDPA89B3	1351111890170	6	20	16	42	3	4	23	30	72
403	SDPA89C5	1351111890467	0	0	0	0	17	31	24	72	72
404	SDPA89F2	1351111891423	0	0	0	0	21	10	41	72	72
405	SDPA89B4	1351111890381	0	0	0	0	13	16	42	71	71
406	SDPA89B5	1351111890385	0	0	0	0	13	15	43	71	71
407	SDTW79X2	1152111790285	23	37	11	71	0	0	0	0	71
408	SDPA89E3	1351111891132	0	0	0	0	22	45	3	70	70
409	SDSW89A1	1252111890014	-5	15	15	25	-15	40	20	45	70
410	SDTW79X4	9062111590025	20	10	40	70	0	0	0	0	70
411	SDPA89A1	1351111890056	0	0	0	0	44	22	3	69	69
412	SDEW79A1	1162111790022	19	-5	-9	5	29	31	3	63	68
413	SDTW79X6	1152111790526	36	23	9	68	0	0	0	0	68
414	SDTW79X8	1062111690042	32	35	0	67	0	0	0	0	67
415	SDPA89A3	1351111890068	9	6	2	17	12	16	20	48	65
416	SDPA89H2	1351111891547	44	17	4	65	0	0	0	0	65
417	SDTW79X9	1152111790496	9	18	6	33	17	13	2	32	65
418	SDTW79X2	1152111790398	13	23	27	63	0	0	0	0	63
419	SDPA89C4	1351111890414	35	6	0	41	9	8	4	21	62
420	SDPA89D7	1351111890796	0	0	0	0	21	18	23	62	62
421	SDPA89I2	1351111891567	0	0	0	0	6	45	11	62	62
422	SDTW79X10	1152111790206	-3	2	8	7	9	32	14	55	62
423	SDTW79X4	1152111790355	0	0	0	0	20	24	18	62	62
424	SDPA89C1	1351111890567	24	15	22	61	0	0	0	0	61



# MOCK TEST 1 AND 2 ADDITIONAL RESULT

**NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST**

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1	P-2	C-2	M-2	T-2	GT
			120	120	120	360	120	120	120	360	720
425	SDTW79X5	1152111790462	0	0	0	0	30	10	21	61	61
426	SDTW79X6	9062111590086	32	14	15	61	0	0	0	0	61
427	SDTW79X8	1152111790208	4	21	8	33	14	6	8	28	61
428	SDPA89C3	1351111890593	0	0	0	0	20	27	13	60	60
429	SDPA89D2	1351111890963	0	0	0	0	10	25	25	60	60
430	SDPA89D8	1351111890809	25	23	12	60	0	0	0	0	60
431	SDPA89F1	1351111891383	0	0	0	0	23	12	25	60	60
432	SDTW79X7	1152111790523	-2	6	9	13	16	26	5	47	60
433	SDTW79X13	9062111590015	1	25	4	30	16	7	6	29	59
434	SDTW79X9	1152111790252	14	30	15	59	0	0	0	0	59
435	SDPA89A2	1351111890037	4	18	36	58	0	0	0	0	58
436	SDPA89B4	1351111890233	0	0	0	0	12	15	31	58	58
437	SDPA89E4	1351111891144	27	28	3	58	0	0	0	0	58
438	SDSW89B1	1252111890037	0	0	0	0	-4	42	20	58	58
439	SDTW79X7	1062111690071	27	23	8	58	0	0	0	0	58
440	SDPA89A2	1351111890054	33	9	15	57	0	0	0	0	57
441	SDPA89E3	1351111891160	0	0	0	0	12	37	8	57	57
442	SDTW79X2	1152111790514	3	47	7	57	0	0	0	0	57
443	SDTW79X9	1151111790221	26	21	10	57	0	0	0	0	57
444	SDTR79X2	1151111790255	0	0	0	0	21	20	15	56	56
445	SDTW79X5	1152111790452	13	13	30	56	0	0	0	0	56
446	SDPA89E1	1351111890707	-8	5	6	3	12	10	30	52	55
447	SDPA89I1	1351111891594	0	0	0	0	7	36	11	54	54
448	SDPA89C3	1351111890573	0	0	0	0	8	15	30	53	53
449	SDPA89D7	1351111890836	18	35	0	53	0	0	0	0	53
450	SDTW79X8	1152111790553	0	-10	9	-1	7	25	22	54	53
451	SDPA89B1	1351111890133	0	0	0	0	22	25	5	52	52
452	SDPA89C2	1351111890462	0	0	0	0	13	23	16	52	52
453	SDPA89C4	1351111890336	0	0	0	0	21	12	18	51	51
454	SDTW79X9	1062111690016	29	9	12	50	0	0	0	0	50
455	SDTW79X7	1152111790133	0	0	0	0	26	2	21	49	49
456	SDTW79X9	1151111790503	22	14	-1	35	-7	13	8	14	49
457	SDPA89B3	1351111890356	0	0	0	0	14	2	32	48	48
458	SDPA89B6	1351111890345	0	0	0	0	3	22	23	48	48
459	SDTW79X6	9062111590001	6	6	36	48	0	0	0	0	48
460	SDPA89C1	1351111890568	0	0	0	0	20	17	10	47	47
461	SDPA89D4	1351111890790	0	0	0	0	32	3	12	47	47
462	SDPA89D6	1351111890917	0	0	0	0	15	22	9	46	46
463	SDSR89A1	1251111890007	-2	29	19	46	0	0	0	0	46
464	SDSR89B1	1251111890039	7	27	12	46	0	0	0	0	46
465	SDTW79X6	1152111790447	0	0	0	0	10	13	23	46	46
466	SDTW79X7	1062111690025	34	8	4	46	0	0	0	0	46
467	SDPA89D3	1351111890931	0	0	0	0	20	10	15	45	45
468	SDPA89H1	1351111891522	20	20	5	45	0	0	0	0	45
469	SDTR79X8	1151111790264	10	15	20	45	0	0	0	0	45
470	SDTR79X8	1151111790266	16	31	-2	45	0	0	0	0	45
471	SDPA89E4	1351111891282	0	0	0	0	6	10	28	44	44
472	SDPA89E5	1351111891156	0	0	0	0	1	27	16	44	44
473	SDPA89H1	1351111891502	8	36	0	44	0	0	0	0	44
474	SDTW79X8	1152111790174	24	4	16	44	0	0	0	0	44
475	SDPA89G1	1351111891468	0	0	0	0	12	5	25	42	42
476	SDPA89A3	1351111890034	3	8	0	11	2	21	7	30	41
477	SDPA89C6	1351111890475	0	0	0	0	23	18	0	41	41

# MOCK TEST 1 AND 2 ADDITIONAL RESULT

**NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST**

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1	P-2	C-2	M-2	T-2	GT
			120	120	120	360	120	120	120	360	720
478	SDPA89D7	1351111890989	0	0	0	0	-2	11	32	41	41
479	SDPA89E3	1351111891299	0	0	0	0	13	21	7	41	41
480	SDTW79X6	1151111790473	0	15	26	41	0	0	0	0	41
481	SDPA89A3	1351111890091	0	0	0	0	14	21	5	40	40
482	SDPA89D4	1351111890969	0	0	0	0	20	2	18	40	40
483	SDPA89E4	1351111891358	15	9	15	39	0	0	0	0	39
484	SDTW79X3	1151111790417	9	12	18	39	0	0	0	0	39
485	SDTW79X9	1152111790327	0	4	1	5	6	21	6	33	38
486	SDPA89B2	1351111890338	0	0	0	0	8	4	25	37	37
487	SDPA89I2	1351111891562	0	0	0	0	18	19	0	37	37
488	SDTW79X8	1152111790214	-10	30	15	35	0	0	0	0	35
489	SDPA89A3	1351111890058	10	16	8	34	0	0	0	0	34
490	SDPA89B4	1351111890146	0	0	0	0	14	10	10	34	34
491	SDTW79X11	1151111790512	8	26	0	34	0	0	0	0	34
492	SDPA89H1	1351111891544	-4	0	2	-2	6	-3	31	34	32
493	SDPB89B1	1361111890028	0	0	0	0	7	5	20	32	32
494	SDTW79X5	1151111790352	0	0	0	0	14	15	3	32	32
495	SDPA89B4	1351111890154	0	0	0	0	10	11	10	31	31
496	SDTW79X4	1152111790050	0	0	0	0	18	2	11	31	31
497	SDPA89B6	1351111890332	11	11	8	30	0	0	0	0	30
498	SDPA89D1	1351111891013	2	11	17	30	0	0	0	0	30
499	SDPA89D8	1351111890845	12	-3	-3	6	10	13	1	24	30
500	SDSA89A1	1261111890009	0	0	0	0	8	14	8	30	30
501	SDPB89B1	1361111890035	-4	9	24	29	0	0	0	0	29
502	SANKALP79P	9062111590041	5	5	19	29	0	0	0	0	29
503	SANKALP79O	1151111790201	12	10	5	27	0	0	0	0	27
504	SDEW79A1	1152111790319	18	6	3	27	0	0	0	0	27
505	SDTW79X12	1152111790253	-10	6	-15	-19	11	15	20	46	27
506	SANKALP79S	1061921690009	15	5	5	25	0	0	0	0	25
507	SANKALP79S	1062111690008	10	0	15	25	0	0	0	0	25
508	SDTW79X6	1152111790179	6	26	-7	25	0	0	0	0	25
509	SDST79R1	1151111790206	-2	15	11	24	0	0	0	0	24
510	SDST79R1	1151111790300	10	8	6	24	0	0	0	0	24
511	SDTR79X7	1151111790519	6	18	-1	23	0	0	0	0	23
512	SDTW79X11	1062111690072	10	4	9	23	0	0	0	0	23
513	SDTW79X13	1152111790263	20	1	2	23	0	0	0	0	23
514	SDTW79X5	1062111690096	0	0	0	0	20	5	-2	23	23
515	SDPA89E2	1351111891263	7	4	11	22	0	0	0	0	22
516	SDPA89F2	1351111891392	0	0	0	0	-4	26	0	22	22
517	SDPB89A1	1361111890004	-1	9	13	21	0	0	0	0	21
518	SDTW79X5	1152131790127	6	12	3	21	0	0	0	0	21
519	SDTW79X9	9062111590044	0	0	0	0	7	3	11	21	21
520	SDPA89B6	1351111890348	5	4	11	20	0	0	0	0	20
521	SDPA89D8	1351111891074	0	0	0	0	8	-3	15	20	20
522	SDPA89H2	1351111891556	15	2	3	20	0	0	0	0	20
523	SDTR79X4	1151111790256	0	0	0	0	5	5	10	20	20
524	SDTW79X12	1152111790180	10	0	10	20	0	0	0	0	20
525	SDTW79X12	1062111690040	10	9	0	19	0	0	0	0	19
526	SDPA89D10	1351111891072	11	10	-3	18	0	0	0	0	18
527	SDEW79A1	1152111790126	-6	-3	0	-9	6	1	20	27	18
528	SANKALP89P	1351111890805	10	0	6	16	0	0	0	0	16
529	SDPA89C4	1351111890497	5	7	4	16	0	0	0	0	16
530	SDPA89C5	1351111890589	9	2	5	16	0	0	0	0	16











































































































# MOCK TEST 1 AND 2 ADDITIONAL RESULT

**NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST**

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1	P-2	C-2	M-2	T-2	GT
			120	120	120	360	120	120	120	360	720
3022	SDTW79X9	1152111790211	0	0	0	0	0	0	0	0	0
3023	SDTW79X9	1152111790450	0	0	0	0	0	0	0	0	0
3024	SDTW79X9	1152111790374	0	0	0	0	0	0	0	0	0
3025	SDTW79X9	1062111690024	0	0	0	0	0	0	0	0	0
3026	SDTW79X9	1152111790249	0	0	0	0	0	0	0	0	0
3027	SDTW79X9	1151111790059	0	0	0	0	0	0	0	0	0
3028	SDTW79X9	1152111790560	0	0	0	0	0	0	0	0	0
3029	SDTW79X9	1152111790554	0	0	0	0	0	0	0	0	0
3030	SDTW79X9	1152111790323	0	0	0	0	0	0	0	0	0
3031	SDTW79X9	1152131790225	0	0	0	0	0	0	0	0	0
3032	SDTW79X9	1152111790535	0	0	0	0	0	0	0	0	0
3033	SDTW79X9	1152111790262	0	0	0	0	0	0	0	0	0
3034	SDTW79X9	1152111790472	0	0	0	0	0	0	0	0	0
3035	SDTW79X9	9061111590033	0	0	0	0	0	0	0	0	0
3036	SDTW79X9	9065111590024	0	0	0	0	0	0	0	0	0
3037	SDTW79X9	1152111790537	0	0	0	0	0	0	0	0	0
3038	SDTW79X9	1152131790086	0	0	0	0	0	0	0	0	0
3039	SDTW79X9	1152111790480	0	0	0	0	0	0	0	0	0
3040	SDTW79X9	1152111790278	0	0	0	0	0	0	0	0	0
3041	SDTW79X9	1152111790025	0	0	0	0	0	0	0	0	0
3042	SDTW79X9	1152111790110	0	0	0	0	0	0	0	0	0
3043	SDTW79X9	1152111790151	0	0	0	0	0	0	0	0	0
3044	SDTW79X9	1152111790267	0	0	0	0	0	0	0	0	0
3045	SDTW79X9	1151111790262	0	0	0	0	0	0	0	0	0
3046	SDTW79X9	1152111790518	0	0	0	0	0	0	0	0	0
3047	SDTW79X9	1152111790482	0	0	0	0	0	0	0	0	0
3048	SDTW79X9	1152111790040	0	0	0	0	0	0	0	0	0
3049	SDTW79X9	1152111790136	0	0	0	0	0	0	0	0	0
3050	SDTX79Y1	1154111790003	0	0	0	0	0	0	0	0	0
3051	SDTX79Y1	1154111790005	0	0	0	0	0	0	0	0	0
3052	SDTX79Y1	1154111790002	0	0	0	0	0	0	0	0	0
3053	SDTX79Y1	1154111790001	0	0	0	0	0	0	0	0	0
3054	SDTX79Y1	9065101590021	0	0	0	0	0	0	0	0	0
3055	SDTX79Y1	1154111790011	0	0	0	0	0	0	0	0	0
3056	SDTX79Y1	1062111690058	0	0	0	0	0	0	0	0	0
3057	SDTX79Y1	1154111790004	0	0	0	0	0	0	0	0	0
3058	SDTX79Y1	9062111590014	0	0	0	0	0	0	0	0	0
3059	SDTX79Y1	1154111790007	0	0	0	0	0	0	0	0	0
3060	SDTX79Y1	1152111790081	0	0	0	0	0	0	0	0	0
3061	SDTX79Y1	9062711590137	0	0	0	0	0	0	0	0	0
3062	SDTX79Y1	1151111790186	0	0	0	0	0	0	0	0	0
3063	SDEW79A1	1151111790408	-4	-7	10	-1	0	0	0	0	-1
3064	SDTW79X13	9062111590090	1	-2	1	0	2	1	-4	-1	-1
3065	SDTW79X3	1152111790189	6	-5	-2	-1	0	0	0	0	-1
3066	SDPA89H2	1351111891553	1	-13	10	-2	0	0	0	0	-2
3067	SDPA89D10	1351111890755	5	0	-8	-3	0	0	0	0	-3
3068	SDST79W1	9062111590063	-5	-5	4	-6	0	0	0	0	-6
3069	SDTR79X5	1151111790063	-3	-2	-6	-11	0	0	0	0	-11
3070	SDTW79X10	1151111790283	-10	-10	3	-17	0	0	0	0	-17
3071	SDTW79X3	1062111690018	-7	-6	-6	-19	0	0	0	0	-19
3072	SDPA89D3	1351111891031	-19	0	-5	-24	0	0	0	0	-24