

MOCK TEST 7 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1	P-2	C-2	M-2	T-2	GT
			76	76	76	228	76	76	76	228	456
1	SDIT79SS	1110111790163	38	56	38	132	59	43	50	152	284
2	SDIT79SS	1110111790311	43	57	40	140	56	41	43	140	280
3	SDIT79SS	9020221590031	51	59	35	145	48	50	36	134	279
4	SANKALP79E	1062111690067	56	50	39	145	40	44	47	131	276
5	SDTW79A1	1152111790032	42	66	48	156	46	35	30	111	267
6	SANKALP79P	9061111590004	48	59	35	142	34	39	49	122	264
7	SDTR79A1	1151111790088	41	59	37	137	43	41	34	118	255
8	SDTR79A1	1151111790124	45	44	49	138	52	22	41	115	253
9	SANKALP79P	9061111590001	43	50	39	132	52	30	37	119	251
10	SDIT79PSS	1110111790098	35	55	40	130	31	42	40	113	243
11	SDTW79A5	1152111790207	48	42	37	127	50	26	40	116	243
12	SDIT79SS	1110111790453	36	52	41	129	31	37	45	113	242
13	SANKALP79P	1062111690046	33	50	34	117	49	30	43	122	239
14	SDTR79A1	1151111790077	38	37	49	124	48	32	33	113	237
15	SANKALP79P	9062111590045	48	43	34	125	49	32	26	107	232
16	SANKALP79P	1062111690083	30	57	32	119	36	39	33	108	227
17	SDPA89D1	1351111890870	42	55	21	118	58	32	17	107	225
18	SDIT79PSS	1110111790317	41	58	12	111	42	48	24	114	225
19	SDTW79A1	1152111790021	46	54	31	131	42	26	24	92	223
20	SDIT79SS	1061811690048	30	40	47	117	45	27	34	106	223
21	SDTW79A6	9062111590094	35	58	32	125	19	38	32	89	214
22	SDIT79SS	9061331590022	36	42	42	120	28	24	40	92	212
23	SDIT79HR1	1110111790237	34	36	37	107	46	30	27	103	210
24	SDPA89D1	1351111890898	42	57	2	101	47	46	14	107	208
25	SDTR79C1	1151111790397	45	61	9	115	38	38	16	92	207
26	SDPA89A1	1351111890081	37	56	25	118	31	29	27	87	205
27	SDPA89D1	1351111890489	36	42	28	106	33	24	38	95	201
28	SDIT79LR1	1110111790074	34	54	41	129	25	23	23	71	200
29	SDSW89A1	1252111890004	36	54	21	111	31	41	17	89	200
30	SDTW79A1	9062111590033	36	38	41	115	34	25	26	85	200
31	SDIT79PR1	1110111790301	35	35	34	104	32	33	31	96	200
32	SDPA89E1	1351111891346	28	48	22	98	51	22	28	101	199
33	SDTW79A2	1152111790116	29	54	21	104	27	24	44	95	199
34	SDTX79A1	1151111790244	35	45	21	101	48	37	13	98	199
35	SDPA89D5	1351111890768	37	51	27	115	36	32	14	82	197
36	SDIT79PSS	1110111790370	33	65	18	116	26	29	22	77	193
37	SDTR79A2	1151111790003	0	0	0	0	0	0	0	0	0
38	SDPA89C1	1351111890501	23	45	39	107	35	18	31	84	191
39	SDTW79A1	1152111790004	40	54	19	113	42	26	9	77	190
40	SDTR79A3	1151111790365	40	54	8	102	33	25	28	86	188
41	SDPA89F1	1351111891400	35	46	13	94	48	20	24	92	186
42	SDPA89D1	1351111891013	19	49	24	92	26	29	39	94	186
43	SDTR79A2	1151111790042	41	45	24	110	30	23	22	75	185
44	SDIT79SS	1110111790172	44	19	28	91	32	26	36	94	185
45	SDPA89D3	1351111890927	32	50	22	104	38	24	19	81	185
46	SDTR79A3	1151111790164	30	49	12	91	49	29	15	93	184
47	SDTW79A2	1152111790101	38	52	19	109	22	29	24	75	184

MOCK TEST 7 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1	P-2	C-2	M-2	T-2	GT
			76	76	76	228	76	76	76	228	456
48	SDIT79PR1	1110111790292	32	40	30	102	17	29	35	81	183
49	SDIT79LR1	1110111790158	34	44	14	92	29	37	25	91	183
50	SDPA89F1	1351111891398	31	33	31	95	32	23	32	87	182
51	SDIT79PSS	1110111790413	26	42	18	86	39	29	25	93	179
52	SDTW79C1	1152111790425	25	54	23	102	30	28	18	76	178
53	SDIT79SS	1110111790051	23	56	22	101	17	33	27	77	178
54	SDTR79A1	1151111790170	30	55	13	98	31	23	25	79	177
55	SDIT79PR1	1110111790367	29	48	20	97	35	30	14	79	176
56	SDIT79LR1	1110111790366	21	41	20	82	48	30	15	93	175
57	SDTW79A3	1152111790035	28	42	25	95	31	27	22	80	175
58	SDPA89D1	1351111890703	37	42	13	92	31	32	20	83	175
59	SDTW79A6	1062111690053	33	42	29	104	24	24	21	69	173
60	SDPA89B1	1351111890389	45	45	10	100	20	32	21	73	173
61	SDTW79C1	1152111790434	36	57	5	98	21	24	30	75	173
62	SDPA89D1	1351111890986	28	34	32	94	23	30	26	79	173
63	SDTR79A2	1151111790011	26	36	14	76	36	30	28	94	170
64	SDIT79LR1	1110111790068	6	39	31	76	14	41	38	93	169
65	SDPA89D3	1351111890945	12	46	34	92	22	30	25	77	169
66	SDPA89D2	1351111890994	26	41	27	94	30	30	14	74	168
67	SDPA89D3	1351111890975	22	44	24	90	35	28	15	78	168
68	SDPA89F1	1351111891376	23	36	20	79	27	28	34	89	168
69	SDTW79A1	1152111790016	28	44	24	96	21	32	18	71	167
70	SDIT79LX1	1110111790341	23	35	26	84	31	28	24	83	167
71	SDIT79LR1	1110111790276	36	35	19	90	33	32	10	75	165
72	SDPA89D4	1351211890050	13	46	27	86	18	34	25	77	163
73	SDTW79A4	1152111790098	31	38	26	95	23	29	16	68	163
74	SDTW79A4	1152111790164	29	45	28	102	31	14	15	60	162
75	SDTW79D1	1152111790330	28	35	17	80	34	21	27	82	162
76	SDPA89E1	1351111891216	20	56	6	82	32	30	17	79	161
77	SDPA89B2	1351111890223	23	42	28	93	18	28	19	65	158
78	SDTR79A1	1151111790021	14	52	20	86	20	34	18	72	158
79	SDPA89E2	1351111891138	29	39	6	74	31	24	29	84	158
80	SDIT79LR1	1110111790027	15	40	20	75	28	31	23	82	157
81	SDTR79A3	1151111790069	20	42	7	69	31	31	26	88	157
82	SDPA89E3	1351111891319	20	43	13	76	38	19	23	80	156
83	SDPA89I1	1351111891603	15	43	21	79	25	27	25	77	156
84	SDPA89D2	1351111890899	21	45	23	89	25	24	17	66	155
85	SDTR79A1	1151111790118	26	32	13	71	39	34	11	84	155
86	SDPA89H1	1351111891510	50	29	10	89	28	12	25	65	154
87	SDPA89D1	1351111890758	19	47	20	86	25	31	12	68	154
88	SDTR79A2	1151111790031	28	41	12	81	31	19	23	73	154
89	SDPA89D2	1351111890656	30	27	14	71	28	23	32	83	154
90	SDPA89E2	1351111891101	9	49	31	89	19	22	23	64	153
91	SDIT79LX1	9065111590039	23	43	15	81	30	24	18	72	153
92	SDTW79A4	1152111790307	25	42	18	85	20	31	17	68	153
93	SDPA89D3	1351111890082	27	33	19	79	24	21	29	74	153
94	SDPA89D1	1351111890838	25	35	16	76	36	18	22	76	152

MOCK TEST 7 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1	P-2	C-2	M-2	T-2	GT
			76	76	76	228	76	76	76	228	456
95	SDPA89E2	1351111891321	22	43	15	80	26	13	31	70	150
96	SDTW79A1	1151111790026	28	23	27	78	31	28	13	72	150
97	SDPA89D1	1351111891298	11	43	13	67	23	28	32	83	150
98	SDTR79A2	1110111790088	20	29	22	71	30	24	25	79	150
99	SDTW79A3	9062111590012	20	26	17	63	31	25	30	86	149
100	SDPA89D2	1351111890878	29	56	7	92	26	24	7	57	149
101	SDPA89D5	1351111890873	20	47	21	88	21	17	22	60	148
102	SDPA89E1	1351111891029	32	30	13	75	27	26	20	73	148
103	SDPA89E1	1351111891292	0	55	0	55	34	34	25	93	148
104	SDTR79A2	1151111790151	18	24	28	70	23	25	30	78	148
105	SDIT79LR1	1110111790080	20	38	20	78	17	21	32	70	148
106	SDPA89D1	1351111890991	11	54	19	84	20	15	28	63	147
107	SDPA89D4	1351111891068	17	28	23	68	23	30	26	79	147
108	SDTW79A1	1152111790148	34	37	23	94	16	19	17	52	146
109	SDIT79LR1	1110111790192	24	28	15	67	19	33	27	79	146
110	SDTR79A2	1151111790158	22	31	10	63	35	27	20	82	145
111	SDPA89A1	1351111890129	23	30	10	63	31	25	26	82	145
112	SDTW79A3	1152111790308	18	37	18	73	29	23	20	72	145
113	SDTW79A4	1152111790156	21	35	27	83	13	18	31	62	145
114	SDIT79LX1	1110111790236	20	37	18	75	12	26	32	70	145
115	SDTW79A2	1152111790023	25	36	24	85	23	14	22	59	144
116	SDIT79LX1	1110111790138	26	26	21	73	22	18	31	71	144
117	SDPA89D4	1351111890988	27	38	9	74	14	28	27	69	143
118	SDTW79C1	1152111790371	29	43	12	84	13	26	20	59	143
119	SDPA89D2	1351111890884	27	22	14	63	36	14	30	80	143
120	SDPA89A1	1351111890084	23	41	19	83	15	27	18	60	143
121	SDIT79LX1	1110111790425	20	29	16	65	29	28	21	78	143
122	SDTR79A6	1151111790070	19	52	11	82	11	30	18	59	141
123	SDPA89G1	1351111891427	40	35	10	85	19	15	22	56	141
124	SDPA89D2	1351111890706	25	30	20	75	15	41	9	65	140
125	SDTR79A2	1151111790055	27	15	11	53	43	21	22	86	139
126	SDIT79LX1	1110111790021	18	35	4	57	35	23	23	81	138
127	SDTW79C1	1152111790348	12	37	24	73	22	16	26	64	137
128	SDTR79A2	1151111790050	23	25	27	75	14	27	20	61	136
129	SDPA89E1	1351111891335	11	46	14	71	6	34	24	64	135
130	SDTW79C1	1152111790418	29	35	20	84	11	26	14	51	135
131	SDIT79PSS	1110111790469	20	21	23	64	21	30	19	70	134
132	SDPA89D1	1351111890732	28	47	4	79	26	19	10	55	134
133	SDIT79HR1	1110111790427	29	35	5	69	22	18	24	64	133
134	SDTW79A4	1152111790132	14	24	16	54	39	16	24	79	133
135	SDEW79A1	1162111790021	25	39	13	77	23	11	21	55	132
136	SDIT79LX1	1152111790227	21	36	14	71	19	23	18	60	131
137	SDPA89D2	1351111890764	19	34	9	62	35	20	14	69	131
138	SDTW79A3	1062111690039	23	34	8	65	19	28	19	66	131
139	SDPA89A1	1351111890065	12	37	27	76	16	21	17	54	130
140	SDPB89A1	1361111890011	16	33	9	58	32	31	8	71	129
141	SDTW79A1	9062111590063	10	38	4	52	23	19	34	76	128

MOCK TEST 7 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1	P-2	C-2	M-2	T-2	GT
			76	76	76	228	76	76	76	228	456
142	SDPA89H1	1351111891485	42	36	8	86	15	15	12	42	128
143	SDPA89I1	1351111891563	13	37	18	68	18	25	17	60	128
144	SDPA89D4	1351111891019	27	16	22	65	26	12	25	63	128
145	SDPA89C2	1351111890539	13	32	23	68	21	16	23	60	128
146	SDPA89C4	1351111890471	29	36	18	83	15	10	19	44	127
147	SDIT79LX1	1110111790122	27	18	8	53	24	20	30	74	127
148	SDTW79F1	1152111790564	12	26	10	48	28	30	21	79	127
149	SDPA89D4	1351111890819	19	44	5	68	22	11	26	59	127
150	SDTW79A2	9062111590011	25	23	20	68	11	21	27	59	127
151	SDPA89B3	1351111890374	24	26	16	66	26	18	16	60	126
152	SDTR79A3	1151111790168	16	23	22	61	20	24	21	65	126
153	SDPA89H1	1351111891495	19	28	13	60	23	31	12	66	126
154	SDTW79A1	9062111590029	13	20	17	50	17	34	25	76	126
155	SDPA89D1	1351111891035	31	27	12	70	28	15	12	55	125
156	SDTW79A1	1152111790034	14	35	17	66	5	26	28	59	125
157	SDTW79A1	1062111690095	22	39	5	66	21	33	5	59	125
158	SDIT79PR1	1110111790270	14	33	11	58	27	22	18	67	125
159	SDTW79A1	1152111790071	34	57	33	124	0	0	0	0	124
160	SDTW79A4	1152111790162	8	33	12	53	27	26	17	70	123
161	SDTR79A1	1151111790341	37	15	9	61	40	11	6	57	118
162	SDPA89D4	1351111890823	8	27	23	58	12	30	18	60	118
163	SDTW79A4	1151111790342	2	28	19	49	24	24	21	69	118
164	SDTW79A2	1152111790131	25	36	10	71	24	8	15	47	118
165	SDTW79A6	1152111790331	8	37	16	61	14	27	16	57	118
166	SDTW79D1	1152111790475	13	52	2	67	20	15	15	50	117
167	SDTR79A1	1151111790018	25	53	38	116	0	0	0	0	116
168	SDPA89D3	1351111890716	11	35	21	67	25	24	0	49	116
169	SDTW79A2	1152111790026	19	26	18	63	15	16	21	52	115
170	SDTW79A6	1152111790149	18	17	17	52	11	25	27	63	115
171	SDTW79E1	1152111790497	27	39	4	70	26	12	6	44	114
172	SDTX79A1	1152111790067	14	21	14	49	21	23	21	65	114
173	SDPA89E1	1351111891215	18	36	24	78	5	18	13	36	114
174	SDPA89C5	1351111890566	13	23	21	57	15	29	13	57	114
175	SDTR79C2	1151111790447	21	41	8	70	13	15	15	43	113
176	SDPA89E3	1351111891334	22	37	9	68	13	23	9	45	113
177	SDPA89C1	1351111890445	16	25	24	65	9	23	15	47	112
178	SDTR79A3	1151111790181	28	10	18	56	26	19	11	56	112
179	SDPA89F1	1351111891436	23	27	8	58	22	24	7	53	111
180	SDPA89D3	1351111890670	29	25	5	59	15	27	10	52	111
181	SDPA89B1	1351111890262	7	37	12	56	10	21	24	55	111
182	SDPA89D3	1351111890956	14	46	4	64	14	18	14	46	110
183	SDTR79A6	1151111790236	33	16	0	49	19	26	16	61	110
184	SDTR79A6	1151111790061	10	35	27	72	8	10	19	37	109
185	SDPA89D3	1351111890887	10	34	18	62	20	12	15	47	109
186	SDTR79C1	1151111790446	24	18	15	57	27	15	10	52	109
187	SDPA89D2	1351111890792	16	32	4	52	24	17	16	57	109
188	SDIT79PSS	1110111790258	31	53	24	108	0	0	0	0	108

MOCK TEST 7 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1	P-2	C-2	M-2	T-2	GT
			76	76	76	228	76	76	76	228	456
189	SDPA89D3	1351111890877	28	40	-3	65	21	18	4	43	108
190	SDPA89B1	1351111890318	14	32	15	61	-1	21	27	47	108
191	SDTW79A5	1152111790043	13	28	11	52	13	27	16	56	108
192	SDPA89E1	1351111891161	0	42	0	42	16	31	19	66	108
193	SDIT79PSS	9061061590007	25	56	26	107	0	0	0	0	107
194	SDTR79A3	1151111790240	24	15	10	49	21	21	16	58	107
195	SDPA89E4	1351111891118	24	25	17	66	7	16	18	41	107
196	SDPA89D3	1351111890729	24	25	-1	48	18	11	30	59	107
197	SDTR79A1	1151111790361	31	16	0	47	45	16	-1	60	107
198	SDPA89E2	1351111891239	9	51	7	67	11	24	4	39	106
199	SDTR79A3	1151111790034	36	4	26	66	18	7	15	40	106
200	SDPA89F2	1351111891370	11	33	18	62	9	16	19	44	106
201	SDEW79A1	1162111790022	13	21	19	53	19	16	18	53	106
202	SDPA89E2	1351111891303	15	28	14	57	18	12	19	49	106
203	SDPA89G1	1351111891099	16	22	21	59	14	21	11	46	105
204	SDIT79HX1	1110111790429	22	17	6	45	33	15	11	59	104
205	SDPA89B4	1351111890235	13	31	0	44	25	22	13	60	104
206	SDPA89E1	1351111891236	4	42	8	54	18	19	12	49	103
207	SDIT79PSS	1110111790145	18	9	18	45	10	14	33	57	102
208	SDSR89A1	1251111890009	15	18	18	51	19	12	20	51	102
209	SDTR79A2	1151111790363	26	30	-1	55	29	8	9	46	101
210	SDPA89D2	1351111890909	39	48	13	100	0	0	0	0	100
211	SDPA89C2	1351111890505	13	45	0	58	8	18	16	42	100
212	SDPB89A1	1361111890004	3	24	24	51	5	20	24	49	100
213	SDPA89C5	1351111890565	22	11	24	57	10	19	14	43	100
214	SDTW79A4	1151111790377	26	13	16	55	30	7	8	45	100
215	SDPA89F1	1351111891442	5	43	26	74	2	4	19	25	99
216	SDPA89C4	1351111890497	28	25	9	62	14	18	5	37	99
217	SDIT79LX2	1110111790551	24	12	9	45	13	30	11	54	99
218	SDPA89E2	1351111891293	33	25	-1	57	22	17	2	41	98
219	SDPB89B1	1361111890036	15	17	17	49	17	12	20	49	98
220	SDIT79PR1	1110111790394	19	9	14	42	11	24	21	56	98
221	SDSR89A1	1251111890001	30	10	8	48	22	8	19	49	97
222	SDTR79A3	1151111790090	14	22	7	43	11	16	26	53	96
223	SDPA89E2	1351111891460	32	12	7	51	16	6	22	44	95
224	SDTR79A2	1151161790101	11	24	5	40	28	13	14	55	95
225	SDPA89D3	1351111890833	28	20	6	54	14	14	12	40	94
226	SANKALP89P	1351111891069	21	55	18	94	0	0	0	0	94
227	SDPA89E2	1351111890937	14	12	15	41	15	12	26	53	94
228	SDPA89E3	1351111891108	10	16	15	41	16	23	14	53	94
229	SDIT79LX2	1110111790216	-1	40	11	50	16	14	13	43	93
230	SDTW79E1	1152111790523	10	22	12	44	13	22	13	48	92
231	SDTW79X6	1152111790022	12	27	13	52	5	15	19	39	91
232	SDPA89C1	1351111890428	9	21	15	45	12	4	30	46	91
233	SDPA89E3	1351111891207	14	28	16	58	6	8	17	31	89
234	SDPA89D3	1351111890814	9	34	2	45	5	27	12	44	89
235	SDIT79HR1	1110111790431	8	16	21	45	4	14	26	44	89

MOCK TEST 7 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1	P-2	C-2	M-2	T-2	GT
			76	76	76	228	76	76	76	228	456
236	SDPA89D4	1351111890915	9	20	11	40	21	11	17	49	89
237	SDPA89C1	1351111890632	8	9	34	51	5	14	18	37	88
238	SANKALP89P	1351111890947	18	47	22	87	0	0	0	0	87
239	SDTW79D1	1152111790493	19	6	26	51	8	11	16	35	86
240	SDPA89B2	1351111890294	8	25	9	42	8	22	14	44	86
241	SDTW79C2	1152111790403	18	30	3	51	18	8	8	34	85
242	SDTW79A4	1152111790272	26	14	-3	37	19	13	16	48	85
243	SDPA89H1	1351111891544	11	21	9	41	9	14	20	43	84
244	SDPA89E1	1351111891146	21	50	12	83	0	0	0	0	83
245	SDTW79A3	1062111690079	16	12	17	45	21	6	11	38	83
246	SDPB89A1	1361111890012	14	26	0	40	17	9	17	43	83
247	SDPA89D6	1351111891021	11	20	9	40	16	17	10	43	83
248	SDPA89B2	1351111890360	21	19	22	62	1	12	7	20	82
249	SDPA89D5	1351111891349	12	45	24	81	0	0	0	0	81
250	SDPA89F1	1351111891380	34	45	2	81	0	0	0	0	81
251	SDTW79E1	1152111790535	5	20	31	56	10	10	5	25	81
252	SDPA89E3	1351111891195	6	38	8	52	2	26	0	28	80
253	SDIT79LX2	1110111790024	10	23	12	45	3	18	14	35	80
254	SDTW79E1	1151111790510	18	5	12	35	18	12	14	44	79
255	SDPA89D2	1351111890697	0	0	0	0	32	30	17	79	79
256	SDPA89D3	1351111890982	18	22	12	52	4	15	8	27	79
257	SDPA89F1	1351111891443	16	12	15	43	26	5	4	35	78
258	SDPA89D6	1351111890813	13	18	6	37	6	25	10	41	78
259	SDPA89D3	1351111890690	11	21	10	42	13	11	11	35	77
260	SDPA89D6	1351111890923	17	17	4	38	7	22	10	39	77
261	SDPA89F2	1351111891391	22	42	12	76	0	0	0	0	76
262	SDTR79A1	1151111790202	26	14	9	49	10	14	3	27	76
263	SDPA89G1	1351111891467	15	23	3	41	11	22	2	35	76
264	SDPA89D9	1351111890984	8	28	15	51	-2	17	9	24	75
265	SDTW79A5	1152111790158	20	17	7	44	-3	16	17	30	74
266	SDPA89E3	1351111891153	9	26	4	39	15	8	12	35	74
267	SDIT79HX1	1110111790478	5	6	12	23	15	13	23	51	74
268	SDTW79A6	1152111790256	0	31	4	35	18	12	8	38	73
269	SDPA89E1	1351111891030	0	14	17	31	14	5	22	41	72
270	SDTW79A6	1152111790114	12	21	0	33	6	13	18	37	70
271	SDPA89D10	1351111890779	20	15	2	37	16	17	0	33	70
272	SDIT79LX2	1110111790056	9	15	11	35	17	11	5	33	68
273	SDPA89D3	1351111890935	33	27	8	68	0	0	0	0	68
274	SDTR79A2	1151111790033	23	28	15	66	0	0	0	0	66
275	SDTW79A5	1151111790119	17	16	9	42	14	7	3	24	66
276	SDPA89D6	1351111890917	17	15	2	34	12	14	6	32	66
277	SDTW79G1	1152111790549	13	6	10	29	8	6	23	37	66
278	SDPA89C2	1351111890463	4	16	15	35	1	10	19	30	65
279	SDPA89F2	1351111891397	9	33	-2	40	7	10	8	25	65
280	SDPA89D3	1351111891065	0	0	0	0	37	24	3	64	64
281	SDPA89D3	1351111890700	6	19	6	31	15	5	13	33	64
282	SDSR89A1	1251111890010	13	13	0	26	18	15	5	38	64

MOCK TEST 7 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1	P-2	C-2	M-2	T-2	GT
			76	76	76	228	76	76	76	228	456
283	SDPA89E3	1351111891336	19	43	0	62	0	0	0	0	62
284	SDPA89I2	1351111891562	12	13	10	35	5	6	16	27	62
285	SDPA89D8	1351111890933	10	19	0	29	13	11	9	33	62
286	SDTR79C1	1151111790455	0	0	0	0	17	24	20	61	61
287	SDTR79G1	1151111790553	11	19	8	38	8	2	13	23	61
288	SDPA89G1	1351111891448	9	33	19	61	0	0	0	0	61
289	SDPA89B1	1351111890144	7	37	17	61	0	0	0	0	61
290	SDTR79A1	1151111790064	0	0	0	0	19	23	18	60	60
291	SDTR79G1	1151111790545	3	21	8	32	10	18	0	28	60
292	SDPA89C1	1351111890382	27	24	9	60	0	0	0	0	60
293	SDPA89D2	1351111891037	0	0	0	0	28	17	14	59	59
294	SDTW79A7	1152111790300	4	5	13	22	9	18	10	37	59
295	SDPA89D1	1351111890738	16	42	1	59	0	0	0	0	59
296	SDPA89F2	1351111891420	8	36	14	58	0	0	0	0	58
297	SDPA89D3	1351111891056	17	26	14	57	0	0	0	0	57
298	SDPA89H1	1351111891550	20	25	12	57	0	0	0	0	57
299	SDPA89D6	1351111890892	10	6	8	24	9	13	10	32	56
300	SDPA89B3	1351111890358	24	19	13	56	0	0	0	0	56
301	SDPA89E3	1351111891210	13	27	0	40	7	8	0	15	55
302	SDPA89H1	1351111891527	5	34	15	54	0	0	0	0	54
303	SDPA89E3	1351111891145	0	0	0	0	21	23	9	53	53
304	SDPA89D2	1351111890671	18	16	19	53	0	0	0	0	53
305	SDPA89D5	1351111890674	13	10	5	28	6	14	5	25	53
306	SDPA89E3	1351111891271	0	0	0	0	20	25	7	52	52
307	SDPA89E4	1351111891331	12	14	25	51	0	0	0	0	51
308	SDTR79A2	1151111790300	0	0	0	0	15	25	9	49	49
309	SDPA89D4	1351111890696	11	8	5	24	11	7	7	25	49
310	SDPA89I1	1351111891594	15	29	3	47	0	0	0	0	47
311	SDPA89D8	1351111890864	11	32	3	46	0	0	0	0	46
312	SDPA89A3	1351111890012	9	26	4	39	2	5	0	7	46
313	SDPA89D4	1351111890841	26	17	2	45	0	0	0	0	45
314	SDPA89B5	1351111890201	10	16	19	45	0	0	0	0	45
315	SDPA89D1	1351111890518	0	0	0	0	19	13	12	44	44
316	SDPA89B3	1351111890255	14	18	0	32	0	12	0	12	44
317	SDPA89F1	1351111891457	8	17	0	25	0	15	3	18	43
318	SDPA89E3	1351111891135	16	15	11	42	0	0	0	0	42
319	SDPA89H1	1351111891498	21	21	0	42	0	0	0	0	42
320	SDPA89E2	1351111891255	23	16	2	41	0	0	0	0	41
321	SDPA89C5	1351111890625	0	0	0	0	12	13	14	39	39
322	SDTR79A5	1151111790379	0	0	0	0	7	26	5	38	38
323	SDPA89H1	1351111891504	6	28	4	38	0	0	0	0	38
324	SDPA89A2	1351111890054	5	6	5	16	9	4	9	22	38
325	SDPA89B3	1351111890399	11	26	0	37	0	0	0	0	37
326	SDPA89C1	1351111890516	14	13	9	36	0	0	0	0	36
327	SDTW79A9	1152111790108	6	-1	1	6	12	15	3	30	36
328	SDTW79X5	1152131790127	0	0	0	0	20	0	15	35	35
329	SDTW79A8	1062111690040	8	8	4	20	4	12	-1	15	35

MOCK TEST 7 RESULT

NOTE: STUDENTS BUBBLED THEIR ENROLMENT NUMBERS WRONGLY WILL NOT FIND THEIR RESULT IN THE BELOW MENTIONED LIST

S.NO.	BATCH	ENROL_NO	P-1	C-1	M-1	T-1	P-2	C-2	M-2	T-2	GT
			76	76	76	228	76	76	76	228	456
330	SDPA89A2	1351111890107	-3	11	6	14	9	4	8	21	35
331	SDPA89D4	1351111890854	4	18	12	34	0	0	0	0	34
332	SDSW89A1	1252111890002	10	24	0	34	0	0	0	0	34
333	SDPA89C3	1351111890446	5	15	14	34	0	0	0	0	34
334	SDTR79A5	1151111790178	4	14	0	18	11	-2	5	14	32
335	SDTR79A4	1151111790256	3	11	17	31	0	0	0	0	31
336	SDTR79A2	1151111790133	9	6	16	31	0	0	0	0	31
337	SDPA89B4	1351111890233	0	0	0	0	2	10	18	30	30
338	SDPA89F2	1351111891413	7	16	6	29	0	0	0	0	29
339	SDPA89B1	1351111890153	17	12	0	29	0	0	0	0	29
340	SDPA89F2	1351111891438	5	16	6	27	0	0	0	0	27
341	SDPA89I1	1351111891598	2	22	0	24	0	0	0	0	24
342	SDPA89C4	1351111890492	9	6	2	17	0	0	5	5	22
343	SDPA89E6	1351111891209	5	8	0	13	-3	13	-1	9	22
344	SDPA89I1	1351111891585	8	8	5	21	0	0	0	0	21
345	SDPA89D3	1351111890673	14	6	3	23	-8	6	-1	-3	20
346	SDTW79A5	9062111590044	5	9	5	19	0	0	0	0	19
347	SDPA89E4	1351111891282	9	3	6	18	0	0	0	0	18
348	SDPA89F2	1351111891450	12	-1	5	16	0	0	0	0	16
349	SDTW79A10	9062111590015	6	1	5	12	0	0	0	0	12
350	SDPA89B6	1351111890193	4	0	7	11	0	0	0	0	11
351	SDTW79G1	1152111790556	0	0	0	0	0	0	0	0	0
352	SDSR89A1	1251111890017	7	3	0	10	0	0	0	0	10
353	SDPA89E2	1351111891119	5	4	0	9	0	0	0	0	9
354	SDPA89E5	1351111891156	0	3	0	3	0	0	0	0	3
355	SDTR79A3	1151111790239	0	3	0	3	0	0	0	0	3
356	SDIT79LR1	1110111790019	0	3	0	3	0	0	0	0	3
357	SDPA89E3	1351111891348	0	0	0	0	0	0	0	0	0
358	SDIT79SS	1110111790203	1	2	-8	-5	0	0	0	0	-5
359	SDTR79A1	1151111790132	3	-3	-10	-10	0	0	0	0	-10